

Tel: +258 86 5330 166

Tool Mart Mozambique

Official distributor of Adendorff

BUYERS GUIDE FOR

QUALITY TOOLS

WELDERS



WATER PUMPS



GARAGE EQUIPMENT



GENERATORS




PNEUMATIC EQUIPMENT



WINCHES



LIFTING EQUIPMENT



POWER TOOLS



WOODWORKING




CONSTRUCTION



TEST EQUIPMENT



TOOL BOX SETS



Av. Uniao Africana 759, Matola, Maputo

Nuit: 401445056

Sales@toolmartmoz.com

TOP QUALITY SPRAY GUNS



Low Volume Low Pressure • Bar: 2 - 3.5 • CFM Requirements: 3 - 3.9

①	Gravity Feed • 1.3mm Nozzle	ASPRAG-700
②	Gravity Feed • 1.3mm Nozzle	ASPRAG-500
③	Gravity Feed (Anodized Finish) • 1.5mm Nozzle	ASPRAG-109
④	Mini Side Feed Touch-up • 0.6mm Nozzle	ASPRAG-019
⑤	Gravity Feed Spray Gun Holder	ASPRAA-001

SUCTION FEED SPRAY GUNS



①	High Pressure • 4 - 7cfm • 1.8mm Nozzle	ASPAH-001
②	High Volume Low Pressure Anodized • 3 - 3.9cfm • 1.5mm Nozzle	ASPAH-003
③	High Volume Low Pressure • 4.2 - 7.1cfm • 1.4mm Nozzle	ASPAH-005
④	Low Pressure • 0.8mm Nozzle	ASPRAL-615

AIR BRUSHES



ABRUSH-008

- Air Consumption: 0.4 - 0.8cfm
- 0.2mm Fine Tip Fluid Nozzle
- Working Pressure: 1 - 3 bar
- Gravity Top Feed



ABRUSH-002

- Air Consumption: 0.4 - 0.8cfm
- 0.3mm Fine Tip Fluid Nozzle
- Working Pressure: 1 - 3 bar
- Gravity Side Feed



AIR HOPPER GUN

AHOPPR-001

- 3 Nozzles: 4.5, 6 & 8mm (6 bar)
- Continuous Air Flow
- Requires 12 - 15cfm



ELECTRIC AIRLESS D.I.Y. SPRAY GUNS




ELECTRIC



	① 0.05kW, 230V (shown)	② 0.06kW, 230V	③ 0.06kW, 230V (shown)
Max. Flow	900ml/min	260ml/min	1 000ml/min
Tank Capacity	800ml	800ml	900ml
Nozzle	1.8mm/2.6mm	0.8mm	2.5mm
	ASPRAY-012	ASPRAY-011	ASPRAY-013

High Volume Low Pressure • Bar: 2 - 3.5 • CFM Requirements: 4.2 - 7.1

⑥	Gravity Feed Mini Touch-up • 0.8mm Nozzle	ASPRAG-110
⑦	Gravity Feed • 2.5mm Nozzle	ASPRAG-025
⑧	Gravity Feed • 1.4mm Nozzle	ASPRAG-106
⑨	Gravity Feed • 1.4mm Nozzle	ASPRAG-107
⑩	Gravity Feed with Regulator • 1.4mm Nozzle	ASPRAG-827



- ① Mini Gravity Feed (HVLP) • 1.0mm Nozzle ASPRAG-300
- ② Gravity Feed (with Stand) (HVLP) • 1.3mm Nozzle ASPRAG-100
- ③ Gravity Feed (HVLP) • 1.3mm Nozzle ASPRAG-101

SILENT MINI OIL FREE COMPRESSORS

6/ D.I.Y. Portable Silent Type

- 550W, 3/4hp, 8 bar • 105l/min, 3.7cfm • 230V



Steel Tank

- 14.5kg **COMPRE-006**



Aluminium Tank

- 13.8kg **COMPRE-007**

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com



DIRECT DRIVE

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Code
24ℓ	2hp 1.5kW	110ℓ/min (3.88cfm)	230V	116psi 8 bar	COMPRE-024
50ℓ (shown)	2hp 1.5kW	120ℓ/min (4.23cfm)	230V	116psi 8 bar	COMPRE-515
100ℓ	2hp 1.5kW	120ℓ/min (4.23cfm)	230V	116psi 8 bar	COMPRE-115
100ℓ V-head	3hp 2.2kW	190ℓ/min (7cfm)	230V	116psi 8 bar	COMPRV-123



1 COMPRE-515

OIL-FREE SILENT TYPE

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Code
24ℓ Silent Type	0.55kW	40ℓ/min (1.41cfm)	230V	101psi 7 bar	COMPRE-001
50ℓ Silent Type (shown)	0.75kW	60ℓ/min (2.1cfm)	230V	101psi 7 bar	COMPRE-002
50ℓ Silent Type (with 2 motors)	0.75kW / 0.75kW	120ℓ/min (4.23cfm)	230V	101psi 7 bar	COMPRE-003
100ℓ Silent Type (with 4 motors)	4 x 0.55kW = 2.2kW	160ℓ/min (5.7cfm)	230V	116psi 8 bar	COMPRE-004



2 COMPRE-002



BELT DRIVE – PETROL DRIVEN

Tank Size	Motor Size	Output Delivery	Max. Pressure	Code
70ℓ 4 Stroke (Pull Start)	6.5hp	360ℓ/min (12.7cfm)	116psi 8 bar	COMPRE-070
150ℓ 4 Stroke (Pull Start)	6.5hp	360ℓ/min (12.7cfm)	116psi 8 bar	COMPRE-071
150ℓ Electric Start 2 Stage Air Pump (shown)	15hp	614ℓ/min (21cfm)	90psi 6 bar	COMPRE-705
		555ℓ/min (19cfm)	145psi 10 bar	



3 COMPRE-705

IDEAL FOR ROADSIDE ASSISTANCE



BELT DRIVE

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Code
50ℓ	2.5hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	COMPRE-517
100ℓ	2.5hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	COMPRE-210
100ℓ Vertical Space Saver	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	COMPRE-310
150ℓ	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	COMPRE-315
200ℓ	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	COMPRE-615
100ℓ V-head	2hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	COMPRV-120
100ℓ V-head	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	COMPRV-130
200ℓ V-head	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	COMPRV-230
300ℓ V-head	5hp 4kW	600ℓ/min (21.2cfm)	380V	116psi 8 bar	COMPRV-355
300ℓ V-head	7.5hp 5.5kW	670ℓ/min (23.66cfm)	380V	116psi 8 bar	COMPRV-375
500ℓ V-head (shown)	10hp 7.5kW 2 Stage Air Pump	1 050ℓ/min (28.25cfm)	380V	175psi 12 bar	COMPRV-510
500ℓ V-head	10hp 7.5kW 2 Stage Air Pump	1 150ℓ/min (37cfm)	380V	175psi 12 bar	COMPRV-575



4 COMPRV-510

SANS 347: 2012 compliant – RSA Conformity Assessment Reviewed – AIA Verification by Intertek

PLEASE ENQUIRE AT YOUR NEAREST STORE FOR STOCK AVAILABILITY

LOVE YOUR TOOLS
Protect your compressor.
Remember to drain the tank regularly.

PLEASE NOTE:
Model colours
may vary.

BRAD NAILERS

Required Air
Consumption:
2 - 4cfm



F-Nails - 18# Gauge

HEAVY DUTY	30mm (shown) • 10 - 30mm	ANAILA-030
	50mm • 15 - 50mm	ANAILA-050

D.I.Y.	D.I.Y. F30 • 10 - 30mm	ANAILF-030
	D.I.Y. F50 • 15 - 50mm	ANAILF-050

T-Nails - 16# Gauge

HEAVY DUTY	T50 • 20 - 50mm	ANAILR-650
	T64 • 32 - 64mm	ANAILR-664

INDUSTRIAL 34° CLIPPED HEAD NAILER

ANAILA-028

- Range: 50 - 90mm
- Shank Ø:
2.98 - 3.33mm

ALSO AVAILABLE

Nails: 50, 75 & 90mm



STAPLERS

Required Air Consumption: 2 - 4cfm



ASTAPL-010
Heavy Duty Model (shown)

- Capacity: 10 - 22mm Staples
- Crown: 10mm



D.I.Y.

ASTAPL-013
DIY Model

- Capacity: 6 - 13mm Staples
- Crown: 10mm

50MM COMBINATION NAILER AND STAPLER

ANAILA-055

- For: 18# F-Nails 15 - 50mm 5.8mm Crown Staples (16mm available in store)
- Safety Pin • Quick Release Nose Piece for fast clearing of jams
- Required Pressure: 4 - 7 bar



INDUSTRIAL 18 - 64MM CONCRETE NAILER

ANAILR-660

- Ideal for nailing skirtings to the wall
- Required Pressure: 4 - 7 bar



INDUSTRIAL COIL NAILERS

Required Pressure:
5 - 7 bar

45 - 70mm

ANAILR-900

45 - 90mm

ANAILR-909

ALSO AVAILABLE

50, 70 & 90mm Coil Nails (on a roll)



3" (75MM) AIR CUT-OFF TOOL



• 6cfm **ACUTTO-075**

ALSO AVAILABLE

Cutting Discs **ACUTTD-001**

PNEUMATIC AIR SCRAPER KIT



ASCRPR-001

HEAVY DUTY

AIR DIE GRINDER



AGRIND-002

- Ideal for Tyre Repair • Includes Bits

AIR DIE GRINDER KITS

For grinding those difficult
to reach areas

14 Piece **AGRIND-001**

- 8cfm • 25 000rpm
- Collet Chuck Capacity: 3mm & 6mm



17 Piece Air Micro Die Grinder Kit

AGRINK-017

- 3mm Collet and Inline Oiler
- 10 Grinding Stones
- Grinder Body Dimensions: 140mm x Ø15.5mm • 54 000rpm



MAC AFRIC



AREGUW-004
Mini Water Trap Filter & Regulator • 1/4"

Water Trap Filter & Regulator (only)

① 1/4"	AREGUW-001
① 1/2"	AREGUW-125
Combination Regulator, Oiler & Water Trap Filter (as illustrated)	
① + ② 1/4"	AREGUO-002
① + ② 1/2"	AREGUO-125

MAC AFRIC

PNEUMATIC RIVETER



ARIVET-001

- 4 Nozzles
- 4.2cfm
- For Rivets 2.4 - 4.8mm

ALSO AVAILABLE

Complete Set with Service Kit
• 4.2cfm

ARIVET-002

AIR NUT TOOL



ARIVNR-001

M4, M5, M6, M8

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

GRACO GX21 AIRLESS SPRAYER

ASPRAY-021

The GX21 is a fast, portable and affordable solution for small finishing jobs every contractor faces.

- Compatible Material: Primer, Stains, Water-based Paint, Acrylics, Enamel and Latex
- Max. Flow Rate: 1,8ℓ/min
- Motor Type: Brushless DC
- Pump Type: ProX Piston Pump
- Voltage: 230V

ENQUIRE IN STORE
ONLY AVAILABLE AT
CERTAIN STORES

SPRAY POTS

ACCESSORIES INCLUDED: Gun, Gauge & Hose

	Operating Pressure	Code
1 10ℓ	1.4 - 2.4 bar	ASPRAP-010
2 2ℓ	0.8 - 2.1 bar	ASPRAP-002



Industrial Quality (Excluding Gun & Hose)

Required Air Consumption: 8 - 12cfm

3 20ℓ with Auto Agitator (shown)	ASPRAP-022
20ℓ with Manual Agitator	ASPRAP-021
10ℓ with Auto Agitator	ASPRAP-012
10ℓ with Manual Agitator	ASPRAP-011
40ℓ with Manual Agitator	ASPRAP-040

5 PIECE BRASS QUICK COUPLER SET

ACOUPL-005

- For use on all Air Operated Equipment

AIR RECOIL HOSE WITH 1/4" MALE BSP-ADAPTOR



Hose Length: 7m

AHOSES-007

Hose Length: 15m

AHOSES-015

8MM I.D. Ø AIR LINE HOSES



AHOSES-020

(shown)

Blue PVC Flex
Hose 20m with
Couplings

Blue PVC Flex Hose
10m with Couplings

AHOSES-028

Blue PVC Flex Hose
100m Roll

AHOSES-006



HEAVY DUTY

8mm I.D. Ø

AHOSES-009

10mm I.D. Ø

AHOSES-011

RUBBER Reinforced

Atlas Copco Compressors

(Duty Cycle of 40% i.e. unit can load/compress air for 4 or less minutes continuously out of a 10 min. cycle.)

BELT DRIVE

		Motor size	Input Delivery	Max. Pressure	Piston Displacement	Free Air Delivery	Code
1	90ℓ	2hp 1.5kW	230V	10 bar	6.6cfm	3.8cfm	COMPRA-120
	90ℓ (shown)	3hp 2.2kW	230V	10 bar	12.3cfm	6.8cfm	COMPRA-130
2	200ℓ (shown)	3hp 2.2kW	230V	10 bar	12.3cfm	6.8cfm	COMPRA-232
	270ℓ	5.5hp 4kW	380V	11 bar	22.4cfm	14.6cfm	COMPRA-345
	500ℓ	7.5hp 5.5kW	380V	11 bar	29.5cfm	23.3cfm	COMPRA-555
	500ℓ	10hp 7.5kW	380V	11 bar	35.4cfm	27.5cfm	COMPRA-755

Backed by ATLAS COPCO SOUTH AFRICA


AUTOMAN Range

Semi-industrial Units



1

COMPRA-130



2

COMPRA-232

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

Semi-Industrial Units	BELT DRIVE					
	Motor Size	Free Air Delivery	Input Power	Max. Pressure	Code	
	100ℓ	2hp 1.5kW	136ℓ/min (4.8cfm)	230V	145psi 10 bar	COMPRI-120
	100ℓ	3hp 2.2kW	190ℓ/min (6.7cfm)	230V	145psi 10 bar	COMPRI-130
	200ℓ	3hp 2.2kW	190ℓ/min (6.7cfm)	230V	145psi 10 bar	COMPRI-232
	200ℓ	5.5hp 4kW	451ℓ/min (15.9cfm)	380V	145psi 10 bar	COMPRI-240
	270ℓ	7.5hp 5.5kW	620ℓ/min (21.9cfm)	380V	145psi 10 bar	COMPRI-275
①	500ℓ (shown)	10hp 7.5kW	705ℓ/min (25cfm)	380V	145psi 10 bar	COMPRI-575

Please enquire at your nearest store for stock availability

COMPRI-575 ①

500ℓ, Belt Drive



ALSO AVAILABLE

Range of Ingersoll-Rand Pneumatic Tools Including: ½" - 1" Impact Wrenches, Drills, etc.

Type 30 - Industrial Cast Iron Head Compressors 4kW - 15kW (270ℓ - 500ℓ)

ENQUIRE IN STORE



ASPRAK-006

5 Piece DIY Air Tool Kit



ACLEAN-001

Engine Cleaning Gun

• 2 - 4 bar




Air Duster Gun

ADUSTR-001

AGUNUC-001

Rubberizing/Stone Chipping Gun • 4cfm



AGUNUC-002

Pneumatic Undercoating Gun

• Suction Feed Type
• Max. Pressure: 9 bar • 4cfm

AGUNWT-001

Pneumatic Watering Gun

• 6cfm



AMULTI-022

4-in-1
Variable Multi
Function Air Tool

AIR GRINDERS

PROFESSIONAL



112mm	AGRIND-112
125mm	AGRIND-125
175mm (shown)	AGRIND-176
180mm	AGRIND-180

175MM BUFFER/POLISHERS

APOLIS-175



Air Angle Type

- 12cfm
- Free Speed: 2 500r/min
- Spindle Thread Size: 5/8"
- Suggested Min. Compressor: 4kW
- Safety Lever Throttle

NEEDLE DESCALERS / AIR HAMMERS



AHAMMC-190

190mm Hammer Action Chisel Set
• 5cfm

ASCALD-190

190mm Combination Air Hammer Chisel Set (shown) • 5cfm

ALSO AVAILABLE

Barrel Type

• 5cfm

ASCALD-001

HEAVY DUTY

STRAIGHT LINE SANDER

ASANSL-010



- Smooth Action
- Double Piston
- 4 - 6cfm • Stroke: 2 100/min
- Paper Size: 70 x 445mm

DUAL ACTION SANDER

ASANDA-020



- 8 - 10cfm
- Pad Size: 150mm
- Adjustable Air Flow for a virtually scratch free finish

ALSO AVAILABLE

125mm/150mm Velcro Sanding Pads & Sanding Discs.

ENQUIRE IN STORE

SANDERS

Dual Action Palm Sanders (6 - 8cfm)

125mm (5") Pneumatic

ASANOR-002



ALSO AVAILABLE

With Self Vacuuming Function (velcro type)

ASANOR-005



Pneumatic Orbital Finishing Sander

ASANOR-001

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

IMPACT WRENCHES



①	12.5mm (1/2") Twin Hammer (shown) • 720Nm • 4.6cfm • 2.2/s	AWRENC-007
	12.5mm (1/2") Twin Hammer • 850Nm • 4.87cfm • 2.3/s	AWRENC-008
	19mm (3/4") Twin Hammer • 1 300Nm • 7.42cfm • 3.5/s	AWRENC-009
②	19mm (3/4") Twin Hammer (shown) • 1 600Nm • 8 - 12cfm	AWRENC-005



HEAVY DUTY



2 600Nm • 13.3cfm • 6.3/s	AWRENC-026
3 200Nm • 13.98cfm • 6.6/s	AWRENC-032
4 800Nm • 14.83cfm • 7/s	AWRENC-048
2 600Nm • 13.35cfm • 6.3/s (Short Anvil)	AWRENC-027

AIR WRENCH KITS



AWRENC-001

- 12.5mm (1/2") Drive**
- 6 - 8cfm
 - Complete with 10 Sockets: 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm
 - Forward and Reverse Push Button

AWRENC-015

- 15 Piece 12.5mm (1/2") Drive Ratchet Wrench Kit**
- 8cfm
 - Complete with 7 Sockets: 9, 10, 11, 13, 14, 17, 19mm

10 PIECE DEEP 1" OR 3/4" DRIVE IMPACT SOCKETS

LIFETIME GUARANTEE



3/4" TSOCKE-011
1" TSOCKE-010

- (88mm deep)
• 21, 22, 24, 27, 29, 30, 32, 33, 38, 41mm

AIR INFLATORS/DEFLATORS WITH HOSE, NOZZLE AND GAUGE



①	Tyre Inflator/Deflator	0 - 700kPa	AGAUGE-004
②	Tyre Inflator/Deflator • Robust Design	0 - 1 200kPa	AGAUGE-000
③	Garage Type	0 - 1 100kPa	AGAUGE-001
④	Garage Type	0 - 1 050kPa	AGAUGE-002

1/4" BSP Inlet

IMPACT SOCKET SETS

LIFETIME GUARANTEE

TSOCKE-038

38 Piece Metric/Imperial

3/8" Drive • 3/4", 11/16", 5/8", 9/16", 1/2", 7/16", 3/8", 5/16"

• 8, 10, 11, 12, 13, 14, 17, 19mm

1/2" Drive • 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

• 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm



TSOCKE-015

15 Piece 12.5mm (1/2") Drive, (75mm) Deep Metric

• 10 - 24mm



METAL SHEAR

- 4cfm
- Cuts, Trims, Outlines and Shears Plastic, Tin, Aluminium and Other Metals up to 18# Rolled Steel
- Capacity: 1mm max. Mild Steel



ASHEAR-001



42 PIECE PNEUMATIC TOOL KIT

ATOOLK-042

- 12.5mm (1/2") Drive Impact Wrench with 10 Sockets
- Heavy Duty Dual Action Sander
- 6mm Air Die Grinder and Stones
- 10mm Reversible Air Drill
- 150mm Air Hammer with Chisels and Bits • 8 - 10cfm

PNEUMATIC SCREWDRIVER



① Spring Balancer

- Takes the weight of the Air Tool off your hand
- Weight Tension: 1kg

ABALAN-100

② 4.55mm, Straight Type Screwdriver

ASCRWD-455



ASCRWD-002

Adjustable Clutch
• 7cfm

HEAVY DUTY

PNEUMATIC DRILLS

With Key Chuck

10mm	ADRILR-010
12.5mm (shown)	ADRILR-005

With Keyless Chuck

10mm	ADRILR-011
12.5mm	ADRILR-012



- Reversible
- 6cfm

10mm (3/8") Straight • 4cfm

ADRILR-007

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

AUTO DARKENING WELDING HELMETS



EWELDH-002

Non-adjustable

- View Area: 91 x 39mm
- Colour: Matt Black

EXCELLENT QUALITY

EWELDH-006

Welders Choice

- Viewing Area: 96 x 39mm
- Shade Control: Adjustable
- Sensitivity Control: Adjustable
- Switching Time: 1/25 000s • Colour: Black



PROFESSIONAL

Fast Reaction Time & Fine Adjustment, Fully Automatic



EWELDH-005

- Welding & Grinding Function
- Viewing Area: 100 x 60mm
- Switching Time: 1/25 000s
- Colour: Carbon Fibre

PROFESSIONAL

EWELDH-004



- Large Viewing Area: 98 x 87mm
- Shade Range: Internal Selection (9-13/5-8)
- Grinding Function: DIN4 (Internal)
- Delay Time: 0.1 - 1.0s Stepless Variable (Internal)

MAGNETIC TIG TORCH REST



EWELDT-011

MAC AFRIC

TIG/DC 230V INVERTER WELDERS WITH HIGH FREQUENCY START

TIG

Suitable for Mild Steel & Stainless Steel (Ferrous Metals Only)

1 Model TIG 160

- 3.3kW • 60% Duty Cycle

EWELDT-160



MAC AFRIC

2 Model TIG 200 with MMA Function (shown)

- 4.8kW
- 60% Duty Cycle

EWELDT-200

AC/DC TIG INVERTER WELDER

TIG

Suitable for Ferrous & Non Ferrous Metals, Mild Steel, Stainless Steel & Aluminium



- 200A
- 230V
- 60% @ 200A

EWELDT-201

PROFESSIONAL'S CHOICE

- 300A
- 380V

- Output Current (A)
12 - 300 (TIG)
15 - 240 (MMA)
- HF Arc
- 60% Duty Cycle

EWELDT-315



AC/DC 185A TIG INVERTER WELDER WITH MMA FUNCTION

TIG

Suitable for Ferrous & Non Ferrous Metals, Mild Steel, Stainless Steel & Aluminium

POPULAR CHOICE

- 185A • 230V • 35% Duty Cycle

EWELDT-185



OPTIONAL EXTRA

EWELDT-181

Foot Pedal for 185A TIG Welder



OXYGEN ACETYLENE KIT

GAS

EOXYAC-001

Oxygen & Acetylene Regulators, Torch Cutting & Welding Nozzle, Goggles, Spark Lighter, Hoses, with Flashback Arrestor.

N.B. This Kit fits on Large Bottles Only (Large Bottles not supplied with Kit)



HEAVY DUTY

SPOT WELDING

230V: EWELSP-026


380V: EWELSP-025

- Rated Power: 25kVA
- Rated Current: 60A
- Arm Length: 300mm
- Max. Welding Thickness: 3 + 3mm
- Duty Cycle: 20% • Weight: 120kg

Hand Held (HS3000) 230 Volt

EWELSP-001

- Max. Spot Weld Thickness: 2 + 2mm
- Max. Clamping Force: 12kg
- Min. Rest Period between Welds: 20 sec.
- Weight: 10.5kg



PLASMA CUTTERS (DC INVERTER)

PLASMA CUT

COMPRESSOR REQUIRED

Cut 40 (shown)

EWELDP-040

- 230V • HF Arc
- Max. Cutting: 8mm Mild Steel, 3mm Stainless Steel

Cut 60 230V

EWELDP-059

380V

EWELDP-060

- Max. Cutting:
1 - 15mm Mild Steel;
1 - 8mm Stainless Steel
- HF Arc



EWELDP-100

Cut 100 (shown)

- 380V
- Max Cutting:
1 - 25mm
- 60% Duty Cycle
- HF Arc
- 20 - 100A

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

MAC AFRIC Combination DC MIG Inverter Welders

MIG

New Improved Professional Quality with IGBT Technology & Flux Core Option (Gas/No Gas)

Compact, powerful & easy to use for MIG and ARC welding. With adjustable constant wire feed for smoother, more even welds. This will suit general metal fabrication, which makes it ideal for the general workshop. With the flip of a switch it can change from MIG to ARC.



Model	Voltage	Amp	Duty Cycle	Duty Cycle	Code
Model 200 (shown)	230V	200A	60% @ 200A	100% @ 130A	EWELDM-202
Model 250	380V	250A	60% @ 250A	100% @ 180A	EWELDM-205
Model 350	380V	350A	60% @ 350A	100% @ 270A	EWELDM-351

MAC AFRIC MIG WELDER

MIG

EXCELLENT QUALITY

PRO-MIG 180, 230V

- Gas/No Gas • 30 - 180A
- MIG/MMA-function

EWELDM-180



OPTIONAL EXTRA

EWELDM-181



MIG Spool Gun for Aluminium Welding. Includes roll of 0.8mm - 500g aluminium welding wire.

ACCESSORIES INCLUDED

MIG Torch & Earth Clamp

MAC AFRIC MIG-MAG MULTI PROCESS INVERTER WELDER

MIG-MAG

EWELDM-206

- Input Volt: 230V, 50Hz
- Welding Modes: MIG/Flux, MMA, TIG
- Duty Cycle: 25%
- Welding Current: 30 - 200A

MIG-200M Welder is an Inverter-based MIG Welder with LCD. Adopting the micro-controller, together with TFT-LCD, making the selection setting much easier and accurate for the user.

OPTIONAL EXTRA

MIG Spool Gun for Aluminium Welding

EWELDM-207



250 AMP SYNERGIC PULSE MIG WELDER

MIG

EWELDM-253

- 250A • 230V • 60% Duty Cycle
- Suitable for Fe, AlSi, AlMg, CrNi, Cu Welding Wire Alloys.
- Synergic MIG/MAG (GMAW) welding** is a variant of pulsed MIG/MAG welding. The synergic pulse Mig welding helps to reduce spatter, distortions and heat input. The low heat input reduces the heat affected zone transformation and strength reduction in those welded materials. Ideal for the automotive industry.

ACCESSORIES INCLUDED

MIG Torch & Earth Clamp

ENQUIRE IN STORE
ONLY AVAILABLE AT
CERTAIN STORES



MAC AFRIC MIG-MAG WELDERS

MIG-MAG

- Light Duty for the D.I.Y. Enthusiast
- 230V
 - 10% Duty Cycle

Flux Core Welding Wire

ENQUIRE IN STORE



Model	Output Current	Code
MIG 150 Gas/No Gas	40A - 140A	EWELDM-150
MIG 195 Gas/No Gas	40A - 180A	EWELDM-195 (shown)

NEW

MIG135 FLUX CORED WELDER

MIG

The all-new MAC AFRIC 100A IGBT MIG Welder is our smallest MIG welder! Absolutely no gas is required – making this the ultimate welder for portability, convenience, and simplicity. With Improved welding performance on a lower current to enhance welds on thinner materials.

EWELDM-135

- Input voltage: 230V 50Hz
- Output Current: 40 - 100A
- Duty Cycle: 20% @ 90A, 60% @ 45A
- Wire Diameter: 0.8mm (Flux-cored Wire)



MAC AFRIC 250 AMP MIG WELDER

MIG

EWELDM-203

- 250A • 230V
- 60% @ 250A
- Output Current: 40A - 250A

MAC AFRIC

ACCESSORIES INCLUDED

MIG Torch & Earth Clamp



MAC AFRIC DC INVERTER WELDERS

MMA

PLEASE NOTE: Use minimum 2.5mm² Core Extension Cord

ACCESSORIES INCLUDED

Electrode Holder and Earth Clamp

EXCELLENT QUALITY



	Model	Voltage	Duty Cycle	Code
IGBT	Model 140 Mini D.I.Y.	230V	35%	EWELDS-140
	Model 161 D.I.Y.	230V	20%	EWELDS-161
	Model 201 D.I.Y.	230V	20%	EWELDS-201
	Model 315	380V	60%	EWELDS-315

MOSFET	Model 160	230V	60%	EWELDS-160
	Model 200	230V	60%	EWELDS-200



PREMIUM QUALITY

MOSFET	Model 200 with V.R.D.	230V	60%	EWELDS-202
	Model 250	230V	60%	EWELDS-251
	Model 250	380V	60%	EWELDS-250

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

SA's trusted choice – reliable and effective

WINCHES & 4X4 EQUIPMENT



12V WINCHES

HEAVY DUTY



EXCELLENT QUALITY


Including Fairlead	Motor	Weight	Capacity Rolling Weight	Code
EWK 8 000U 12 Volt (shown)	1.6kW p/m	31kg	3 620kg @ 6m / 2 170kg @ 29m	GWINCH-800
EWG 8 000U 12 Volt	2.7kW s/w	36kg	3 620kg @ 6m / 2 170kg @ 29m	GWINCH-802
EWX 10 000U 12 Volt	4.3kW s/w	38kg	4 536kg @ 5.3m / 2 571kg @ 26m	GWINCH-901
EWX 12 000U 12 Volt	4.5kW s/w	42kg	5 440kg @ 4.8m / 3 125kg @ 25m	GWINCH-912
EWP 12 000U 12 Volt 2 Speed with High & Low Gear	5.4kW s/w	44kg	5 443kg @ 4.9m / 3 084kg @ 25.5m	GWINCH-914

p/m = permanent magnet

s/w = series wound

Including Fairlead	Motor	Capacity	Code
EWK 2 000D 12 Volt (shown) • 2 Way Control	1.7kW p/m	907kg @ 2.1m	GWINCH-200
EWP 2 500D 12 Volt • 2 Way Control	1.9kW p/m	1 134kg @ 2.1m	GWINCH-250
EWP 2 500A 12 Volt • With ATV Control	1.9kW p/m	1 134kg @ 2.1m	GWINCH-201
EWP 3 500D 12 Volt • 2 Way Control	2.4kW p/m	1 588kg @ 2.1m	GWINCH-350

p/m = permanent magnet



HEAVY DUTY

Hydraulic Winches

	Oil Flow	Pressure	Capacity	Code
HWN 15 000YD Ideal for Roll Back	20~60ℓ/min	13MPa	6 804kg @ 1 885.5psi	GWINCH-916
HWD 12 000A 2 Speed ideal for 4x4's	5~45ℓ/min	11MPa	5 443kg @ 1 595.4psi	GWINCH-915

HEAVY DUTY

12V AIR COMPRESSOR

GCOMPR-003


Get plenty of air when you need it with this high volume portable automotive air compressor. The lightweight, portable design makes it easy to store. Features include rubber feet for less vibration, easy twist screw-on brass inflator tip, built in thermal cut off switch, 7.9m quick release coil hose and a gearless direct drive for reduced noise during operation.



160LPM = litres per minute

4x4
Enthusiasts
Choice

HAND GEAR WINCHES



① 1 360kg (shown) • With Nylon Strap Belt • Length of Strap: 7m	GWINCH-502
1 360kg • With Steel Cable • Length of Cable: 10m	GWINCH-501
② 450kg (shown) • With Steel Cable • Length of Cable: 10m	GWINCH-050

SYNTHETIC WINCH
LINE & ALUMINIUM
HAWSE FAIRLEAD
WITH CARRY BAG



• 8 Ton
GWINCH-001

HEAVY DUTY TYRE REPAIR KIT

PROFESSIONAL

GTYRER-001

- Heavy Duty T-handle Reamer
- Heavy Duty T-handle Insert/Spiral Probe Tool
- Ideal for Vehicles & Motorcycles



EXHAUST JACK

GJACKE-001

- Height Capacity: 750mm



2 PIECE TYRE GRABBER SET

Wheels
for illustrative
purposes
only



GTYREG-003

- Ideal for emergency recovery
- Mud – Sand – Snow
- The "Get Unstuck" traction solution for bakkies/SUV's (2 Pack)
- The unique design is featured to enhance the ability of a slipping tyre to extract itself from a poor traction situation
- Recommended for 4x4 bakkies and All-Wheel Drive SUV's with Standard or All-Terrain Tyres.

20ℓ JERRY CAN FOR
FUEL, 0.8MM



GCANJR-020

Available in ■ ■

TRAILER JACKS/JOCKEY WHEELS



GJACKX-452

900kg Base
Type
(no wheel)

GJACKX-453

300kg
Jockey
Wheel

GJACKX-451

450kg
Jockey
Wheel

HIGH LIFT JACKS

	1.21m (48")	1.52m (60")
Capacity	3 000kg	3 000kg
Max. Height	48"	60"
Min. Height	6"	6"
Can Lift	2 Ton at 50% Height 1.75 Ton at Max. Height	2 Ton at 50% Height 1.75 Ton at Max. Height
	GJACKF-048	GJACKF-060

Nylon Base for High Lift Jack

GJACKF-001

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

12V/24V LITHIUM ION JUMP STARTERS

PROFESSIONAL



Start Current	① 400A (12V); 500A (24V)	② 600A (12V); 600A (24V)
Peak Current	800A (12V); 1 000A (24V)	1 500A (12V); 1 500A (24V)
Battery Type	Lithium Ion Polymer	Lithium Ion Polymer
Battery Capacity	27 000mAh	45 000mAh
	GSTART-007	GSTART-005

Jump Starter with built-in Inflator

GSTART-008

- Start Current: 400A
- Peak Current: 800A
- Battery Type: Lithium Ion Polymer



BOOSTER CABLES

HEAVY DUTY

Amp	Cable Length	Code
400	2.5m	GCABLE-400
450	3m	GCABLE-450
600	3m	GCABLE-600



100%
Copper
Cables

BATTERY CHARGERS/BOOSTERS

Model	Charging Current	Code
320	35A (12V & 24V)	GCHARG-321
400	40A (12V & 24V)	GCHARG-400
600	52A on 12V & 55A on 24V	GCHARG-600

Battery
for illustrative
purposes
only



LITHIUM ION BATTERY JUMP STARTER



GSTART-004

12V, 500 Amp with Built-in Inflator

- Battery Type: Li Polymer
- Battery Capacity: 11.1V / 5.2Ah
- Peak Current: 500A @ 100ms

INTELLIGENT/DIGITAL BATTERY CHARGERS



4 Amp (shown)	6V & 12V	GCHARG-104
8 Amp	12V	GCHARG-108

PROFESSIONAL
MODEL



25 Amp / 12.5 Amp (shown)	12V & 24V	GCHARG-125
15 Amp	12V	GCHARG-126

BATTERY TESTER



TTESTB-001

- Testing Range: 6 - 12V
- Rated Capacity: 32A to 500A

BATTERY TESTER & ANALYSER

PROFESSIONAL

TTESTB-003

- Testing Range: 100 - 2 000 CCA (12V)
- 12V & 24V Starting & Charging System



MAINTENANCE FREE BATTERYLESS JUMP STARTERS



300A

GSTART-300

800A

GSTART-800

Unlike traditional jump starters that require a charge before use, the MAC AFRIC battery-less jump starter uses ultra-capacitor technology, which can harness power from a weak battery to jump start your car/bakkie/boat or even the jet-ski. Ready anytime, anywhere, this jump starter performs well in extreme conditions. Maintenance-free, no need to charge during storage, just leave it in the trunk and its ready to "jump-start" your battery when you need it. Available in two different models - 300 or 800 Amp

GARAGE CREEPERS

GCREEP-002

Roller Seat with Bottom Tool Tray

Tools
for illustrative
purposes
only



Padded Mechanics Creeper

GCREEP-001



GCREEP-003 36" Plastic Creeper

GSTOOL-001

Swivel Bar / Garage Stool

- The all-new garage stool is perfect for the everyday use by mechanics or DIY enthusiasts



HEAVY DUTY



GCREEP-005 48" Plastic Creeper

GCREEP-044

44" Heavy Duty Creeper

- Heavy Duty Frame Designs
- 150kg rating




HEAVY DUTY

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

12V DIESEL PUMP



HPUMPO-008

Complete Kit (shown)

- 40ℓ/min • Includes Pump, Gun, Hose, Meter and Bracket

ALSO AVAILABLE

- | | |
|--------------|-------------------|
| ① Pump Only | HPUMPO-011 |
| ② Hose Only | HPUMPH-005 |
| ③ Gun Only | HPUMPO-009 |
| ④ Meter Only | HPUMPO-010 |

① + ② + ③
Pump + Gun + Hose (Kit)

HPUMPO-007

ALSO AVAILABLE

230V Models

ENQUIRE IN STORE

GREASE GUNS



400cc **GGREAS-400**

500cc **GGREAS-501**

600cc **GGREAS-600**

DUAL FUNCTION GREASE GUN



6 Piece Air or Hand Operated Grease Gun Kit (pistol type)

AGREAS-001

12V D.C. OIL TRANSFER PUMP

HPUMPO-001

(Plastic)

- Fits 210ℓ Drum
- Length of Shaft: 360mm
- Ø of Drum: 300mm
- Min. Depth of Drum: 345mm



ROTARY DRUM PUMPS

Fits into a 210ℓ Drum

Ideal for Oil, Paraffin & Diesel (shown)

TPUMPD-001

Aluminium Hand Pump

Ideal for Oil, Paraffin & Diesel

TPUMPH-001



12V MINI OIL EXTRACTOR PUMP

HPUMPO-002



PVC Clear Pipe included

PNEUMATIC GREASE DRUMS

Includes Hose, Gun & Trolley

Grease Pump	Inlet Pressure	Code
12ℓ (shown)	6 - 8 bar	GGREAS-012
30ℓ	6 - 8 bar	GGREAS-005
40ℓ	4 - 8 bar	GGREAS-017

PNEUMATIC OIL PUMP

HPUMPO-004

Pneumatic Mobile Oil Dispensing Kit

(without drum)


(complete unit shown)

- Ratio 5:1
- Trolley, Pump, Hose Reel & Digital Oil Gun

HPUMPO-003

Pneumatic Oil Dispensing Pump (only)

- Ratio 5:1



Digital Oil Gun (only) • Flow Rate: 0-60ℓ/min

HPUMPO-005

GREASE PUMPS

GGREAS-002

15kg High Pressure with Trolley, Drum, Gun & Hose (manually operated)


GGREAS-009

G.Gun 10ℓ High Pressure Foot Operated Grease Drum

- Two Stage Pump
- Canisters can use 5 - 8kg Grease



HYDRAULIC WORKSHOP PRESSES WITH GAUGE



HEAVY DUTY

(shown) 40 Ton Hydraulic-Pneumatic 100 Ton Hydraulic

Stroke	300mm	500mm
Distance between H-frame	680mm	710mm
Height of Press	1.6m	1.95m
Width of Work Table	325mm	370mm
	GPRESS-041	GPRESS-001



GPRESS-006

6 Ton Bench Type Hydraulic Press (Bottle Jack Type)



WORKSHOP PRESSES



① 12 Ton Bottle Jack Type (shown)	GPRESS-009
20 Ton Bottle Jack Type	GPRESS-010
② 12 Ton Press with Gauge (shown)	GPRESS-012
20 Ton Press with Gauge	GPRESS-020
20 Ton Pneumatic Press with Gauge (Dual Function)	GPRESS-021

PARTS WASHERS

USE WATER-BASED SOLVENTS ONLY



90ℓ Compact (shown)

GWASHP-090

- Stationary
- Includes Pump
- 760 x 520 x 890mm

GWASHP-091

90ℓ Compact on Trolley (shown)

- Includes Pump
- 750 x 530 x 900 mm



- 180ℓ • Stationary • Includes Pump
- 1 100 x 550 x 900mm
- Suitable for cleaning larger parts

GWASHP-180

HEAVY DUTY

SAND BLAST GUNS

AGUNSB-001

Suction Feed

- Ideal for General Sand Blasting Applications



Sand Blast Pot Gun with 4 Nozzles

AGUNSB-000



AGUNSB-003

Sand Blast Gun with 4 Ceramic Nozzles



Top Load/Gravity Type

AGUNSB-118



SAND BLAST POTS

GPOTSB-001

90ℓ "Dust Free" Sand Blasting Unit complete with 1 200W, 230V, Vacuum, Hose and Gun



45ℓ

GPOTSB-045

90ℓ

GPOTSB-090

Features:

- Range of Blasting Pressure: 420kPa - 900kPa (4.2 - 9 bar)
- Nozzle Sizes: Ø 2.4, 2.7, 3.2, 3.6mm



SANDBLASTING SAND

Sand (Fine Grit)

- 25kg Bag • 47 - 58 Microns

GCABSG-030

SANDBLASTING HOOD

GCABSB-008



SAND BLAST GUN AND CABINETS

GCABSB-001

Bench Type

- Complete with High Efficiency Gun, Light, Pickup Hose, Gloves, Spare Glass Shields and Nozzles
- 580 x 490 x 490mm



GCABSB-002

Vertical Type

- Heavy Duty Steel Construction
- Complete with High Efficiency Gun, Hose, Light, Gloves, etc.
- 890 x 570 x 1 390mm



GCABSB-003

Industrial Sand Blast Cabinet with Foot Pedal & Extractor

- 1 220 x 600 x 1 710mm



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

GEAR PULLERS

	10 Ton (Crank Type)	(shown) 10 Ton	20 Ton
Rated Output	10T	10T	20T
Reach	160mm	135mm	350mm
Max. Stroke	60mm	170mm	100mm
Spread	250mm	250mm	560mm
	GPULLE-011	GPULLE-010	GPULLE-020

HEAVY DUTY

15 PIECE UNIVERSAL TERMINAL RELEASE TOOL SET

GTERML-015

- Reduce time spent on, and eliminating damage to vehicle electrical systems with these connector tools
- Set consists of cable extraction, contact ejection and contact dismantling tool
- Covers a wide range of connectors



COMBINATION 2/3 JAW PULLERS



75mm **TPULLG-075**

100mm **TPULLG-100**

150mm **TPULLG-150**

UNIVERSAL BALL JOINT SEPARATOR

GJOINT-001

- Open Range: 12 - 50mm



6 PIECE TELESCOPIC GAUGE SET

GGAUGE-001



3 JAW INTERNAL & EXTERNAL PULLER KIT WITH SLIDING HAMMER

TPULLG-050

- Small Internal Puller Capacity: 15 - 30mm
- Large Internal Puller Capacity: 30 - 80mm
- External Puller Capacity: 15 - 80mm



UNIVERSAL VALVE SPRING REMOVER AND INSTALLER COMPRESSOR KIT

GVALVC-002



UNIVERSAL ADJUSTABLE CAMSHAFT & CRANKSHAFT PULLEY HOLDER

GPULLE-002



BALL JOINT INSTALLER/REMOVER KIT

GJOINT-003



114 PIECE OIL SUMP THREAD REPAIR SET

GOILTR-114



FAN SERVICE WRENCH KIT

GFANSK-001



VALVE SPRING COMPRESSOR SET WITH PIPE FRAME

GVALVC-001

ADJUSTABLE FUEL TANK REMOVER

GFUELR-001



2M SELF PRIMING HOSE WITH BRASS HEAD

GPIPES-001



DIESEL INJECTOR PULLER KIT

GPULLE-004

- With Slide Hammer
- Ideal for the removal of stuck and seized common Rail Injectors without dismantling the Cylinder Head



10 PIECE BEARING RACE & SEAL DRIVER KIT

TBEARS-006

- Easily replace bearing races without damaging race or axle housing
- Collars fit most wheel bearing sizes
- Machined aluminium construction
- Anodized finish
- Includes 9 discs to fit common wheel bearing sizes with the other side of the discs for driving seals
- Discs sizes 39.5, 44.5, 50, 59, 63, 65, 72, 76, 81mm



AUXILIARY STRETCH BELT REMOVAL & INSTALLATION TOOL KIT

GBELTS-001



CAMBELT TENSION GAUGE

GCAMBT-001



23 PIECE OIL FILTER WRENCH KIT

GOILFR-002

UNIVERSAL BUSH REMOVER/INSTALLER SLEEVE SET

GBUSHK-001



WHEEL BEARING REMOVAL TOOL KIT

TBEARS-005



13 PIECE ALTERNATOR PULLEY KIT

GSOCKE-013



BEARING SEPARATOR KIT

TBEARS-001

- Range: 30 - 50mm; 50 - 75mm
- Length of Jaws: 110mm (2 Jaw Puller)
- Max. Shaft Length: 210mm

RADIATOR/WATER TANK LEAK/PRESSURE DETECTOR SETS

- Test Cooling Systems for Leaks
- Includes Hand Pump and Test Head



33 Piece

GTSTR-002



15 Piece

GTSTR-001

COMPRESSION TESTER KITS



GCOMPT-003

PETROL



DIESEL

GCOMPT-002

AC MANIFOLD SET FOR 134A REF. GAS

GAIRCN-001

- Test, evaluate, fill Air Conditioning Systems
- Highly accurate Gauge Set
- Lets you quickly compare high side and low side pressure readings to manufacturer specifications
- 1/2" ACME Fittings



FLOW TEST COMMON RAIL KIT

GFLOWT-012

- Used to detect faulty Injectors (Petrol)
- Can test up to 6 Injectors simultaneously



12 PIECE OIL PRESSURE TESTER SET

GOILPT-001



FUEL PRESSURE TESTER SET

GFUELT-001



FUEL INJECTOR CLEANING SYSTEM

GFUELT-003



UNIVERSAL FUEL SUCTION RETRIEVER PUMP (1.5 LITRE)

With Connectors


GFUELT-004



HAND HELD VACUUM PUMP

GVACUM-001

- Suitable for wide range of vehicles



BRAKE CALIPER WIND BACK TOOL SETS

- Winds Back Brake Piston for replacing Brake Pads
- Prevents damage to the Piston & Boot

18 Piece

GBRAKE-018



22 Piece

GBRAKE-022



ONE MAN BRAKE BLEADER KIT

GBRAKB-002



PNEUMATIC BRAKE BLEEDER

GBRAKB-001



INJECTOR FLOW TEST COMMON RAIL KIT

DIESEL

GFLOWT-001

- Used to detect faulty Injectors (Diesel)
- Includes 24 Adaptors to suit: Bosch, Delphi & Denzo Injectors for comprehensive coverage of common rail diesel engines



DIESEL INJECTOR TESTER

GTESTD-001



GINJEC-007

Diesel Injector Seat Cutter Set

- Used to clean/decarbonise injector seats. Suitable for a wide range of vehicles
- Set of 5 Cutters

TIMING TOOL KITS

- Suitable for VAG 1.2, 1.4 TFSi, 1.4, 1.6 FSi, Chain Drive
- Suitable for 1.2/1.4 TFSi and 1.4/1.6 FSi Engines
- Contains Essential Tools for Crank, TDC Positioning, Camshaft Setting and Tensioner Locking
- VW and Audi Engine Timing Tool Set for use on Petrol and Diesel Engines. To set the correct timing when replacing the Timing Belt.



GTIMEK-002



GTIMEK-003

- Car Engine Timing Tool Set for VAG 1.2, 1.4TFSi, 1.4, 1.6FSi – Chain Drive
- Timing Kit suitable for 1.2/1.4TFSi and 1.4/1.6FSi engines
- Kit contains essential tools for crank TDC positioning, camshaft setting and tensioner locking

LARGE RANGE AVAILABLE: See in store or visit our website

PETROL

GTIMEK-015

- Suitable for BMW 2.0 (N20/N26)



PETROL

GTIMEK-009


- Suitable for BMW 2.5, 3.0 (N51-52-52-53-54)



Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

ENGINE STANDS



Adjustable Arms to fit all Popular Car & LDV Engines

① Model 450 Universal (4 & 6 Cylinder Engines)	GSTAND-450
② Model 550 Universal with Oil Pan & Parts Tray (4 & 6 Cylinder Engines)	GSTAND-550
③ Model 900 (4, 6 & 8 Cylinder Engines)	GSTAND-500
④ Model 900 with Geared Rotator (4, 6 & 8 Cylinder Engines) (shown)	GSTAND-100

EASY PARK HYDRAULIC VEHICLE POSITIONING JACK


GJACKT-150 Capacity: 650kg per Jack



Wheel for illustrative purposes only

500KG ENGINE SUPPORT

GSTAND-501



MANUAL COIL SPRING STRUT COMPRESSOR

NEW

GCOILS-006

Assemble and disassemble your Coil Spring Struts anywhere with this manual Spring Compressor!

- Max. Diameter: 300mm
- Max. Height: 630mm
- Travel/Stroke: 330mm
- Max Shock Absorber Length: 580mm



HYDRAULIC TRANSMISSION JACKS

CE Model-500 Telescopic

GJACKT-102

- Height Range: 870 - 1 847mm
- Safe Working Capacity: 0.4 Ton



HEAVY DUTY

GJACKT-100

CE Model-1000 Low Level

- Length: 760mm • Width: 430mm
- Height: 215mm • Extended: 625mm
- Lifting Height: 775mm
- Safe Working Capacity: 0.8 Ton



12V CAR SCISSOR JACKS

COLOUR MAY VARY


Model	Lifting Height Capacity	Code
1000	12 - 35cm	GJACKC-003
2000	14 - 43cm	GJACKC-004



MOTORCYCLE LIFT JACK

- Base: 290 x 290
- Min. Height: 140mm
- Max. Height: 420mm

GJACKM-001



INTERCHANGEABLE FORK STRUT COIL SPRING COMPRESSOR KIT

GCOILS-005



1 TON HYDRAULIC COIL SPRING COMPRESSOR

GCOILS-010

- Capacity: Max. Compression Tension 2200lbs (hand-pump included)
- Max. Extension: 260mm
- Retracted Dimension: 100mm
- Rod Travel: 100mm



MAC AFRIC

BOTTLE JACKS



EXCELLENT QUALITY

CE Model	Safe Working Capacity	Min. Height	Max. Height	Code
2000	2 Ton	158mm	308mm	GJACKB-002
5000	5 Ton	200mm	405mm	GJACKB-005
10000	10 Ton	240mm	480mm	GJACKB-010
20000	15 Ton	250mm	490mm	GJACKB-020
30000	20 Ton	285mm	475mm	GJACKB-030
50000	30 Ton	285mm	480mm	GJACKB-050

MODEL 2000 ENGINE CRANES

Fixed Frame (shown)

- Nett Weight: 85kg
- Gross Weight: 88kg

GCRANE-002

OPTIONAL EXTRA

600kg Load Leveller (shown)

ALSO AVAILABLE

Extra Heavy Duty Construction Type, Model 2000 for Trucks

- Nett Weight: 168kg
- Gross Weight: 191kg

GCRANE-005

Foldable with 6 Wheels (shown)

- Nett Weight: 85kg • Gross Weight: 89kg

GCRANE-004

With Pneumatic Function

- Nett Weight: 83kg • Gross Weight: 86kg

GCRANE-003

MAC AFRIC

Tel: +258 86 5330 166

4 TON 2 POST ELECTRIC/HYDRAULIC LIFT

Manual Release

GLIFTS-002

COLOUR
MAY VARY

Vehicle for
Illustrative
Purposes Only

Automatic Release

GLIFTS-003

Warranty null and void if not installed by a certified accredited installer.
Please contact your nearest Adendorff branch for contact details of certified installers.

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

WHEEL CHOCKS



Mighty 5T
GSTAND-203



Mighty 20T
GSTAND-202



Rubber
GSTAND-204

COMBI HYDRAULIC BEAD BREAKER ONLY

GBEADB-001



Pneumatic Hydraulic Pump
for GBEADB-001

GPUMPS-001

TYRE GROOVER

GTYREG-004

• 350W • Voltage: 230V



LONG REACH TROLLEY JACKS

CE Model	Safe Working Capacity	Lifting Capacity	Length of Jack	Weight of Jack	Code
3000	2.25 Ton	600mm	1 290mm	54kg	GJACKT-003
5000	4.0 Ton	685mm	1 410mm	89kg	GJACKT-005
10000	8 Ton	700mm	1 560mm	133kg	GJACKT-010
20000 (shown)	11 Ton	640mm	1 420mm	230kg	GJACKT-020

HEAVY DUTY

MINI TROLLEY JACKS

Model	2250-LD	2250-HD
kg	8.3kg	12.5kg
Lifting Height	135 - 330mm	135 - 385mm
Safe Working Capacity	1.5 Ton	1.5 Ton
	GJACKT-000	GJACKT-001

MAC AFRIC



GARAGE TROLLEY JACKS

**Model-2500
Short Wheel Base**

GJACKT-002

HEAVY DUTY

- Lifting Height: 120 - 500mm
- Safe Working Capacity: 2.0 Ton



**Model-3000
Short Wheel Base**

GJACKT-300

- Lifting Height: 100 - 530mm
- Safe Working Capacity: 2.25 Ton



RATCHET TYPE JACK STANDS



3 Ton Capacity for
Cars (shown)

GSTAND-003

6 Ton Capacity for
LDV's & Trucks

GSTAND-006

12 Ton Capacity
for Trucks

GSTAND-012

MAC AFRIC

PNEUMATIC TYRE CHANGERS AND BALANCERS



Compressor
Required

Wheel for
illustrative
purposes only

MAC AFRIC



Wheel for
illustrative
purposes only

(shown) CB530

CB800

Motor Power	230V	230V
Rim Width	40 - 310mm	40 - 510mm
Rim Ø	254 - 508mm	265 - 615mm
Balancing Speed	210rpm	200rpm
Rim Accuracy	1G	1G
	GTYREB-001	GTYREB-002

(shown)
Model F 112

Model LT 910

Model LT 950A
With Helping Arm

Motor	1.1kW, 230V	1.1kW, 230V	1.1kW, 230V
Internal Clamp	12" - 22"	14" - 26"	14" - 26"
Max. Wheel Ø	1 000mm	1 100mm	1 100mm
Max. Wheel Width	270mm	381mm	381mm
	GTYREC-002	GTYREC-005	GTYREC-006

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

2 TON CRAWLS

I-Beam for illustrative purposes only

(shown)

Geared with Chain	Manual Type
I-Beam Size	
100 - 150mm	80 - 150mm
GCRAWL-001	GCRAWL-002

1.5 TON GANTRY CRANE

GCRAVE-000

- Adjustable
- Mobile
- Height Adjustment: 2.1 - 3.3m

BEAM CLAMP

Model 2000 (shown)	Model 5000
74 - 230mm	89 - 320mm
GCLAMB-002	GCLAMB-005

HAND STACKER

Hydraulic

GPALLT-003

- Capacity: 1 000kg • Height: 1.6m
- Heavy Duty Construction

HEAVY DUTY

ELECTRIC CHAIN HOISTS (DOUBLE CHAIN)

CE Model	① 1000	② 1000	③ 2000
Safe Working Capacity	0.75 Ton x 6m	0.75 Ton x 6m	1.5 Ton x 6m
Voltage/Motor	230V - 0.8kW	380V - 1.1kW	380V - 1.5kW
Lifting Speed	1.8m/min	3.6m/min	3.4m/min
Illustrative Purposes Only	GHOIST-100	GHOIST-101	GHOIST-102



OPTIONAL EXTRA

① 1 Ton Manual Crawl for Electric Hoist
For Models: PA250, PA400 & PA1000
Universal Crawl Mounting Bracket

GCRAWL-000

GHOIST-001

230V ELECTRIC HOISTS

	PA250, 250kg	PA400, 400kg	PA600, 600kg	PA1000, 500kg
② Capacity Double Line	250kg/5.5m	400kg/5.5m	600kg/5.5m	1 000kg/5.5m
Capacity Single Line	125kg/11m	200kg/11m	300kg/11m	500kg/11m
	GHOIST-250	GHOIST-400	GHOIST-601	GHOIST-500

MAC AFRIC

CARGO/MACHINE MOVING TROLLEY SET

GPALLT-009

- Adjustable
- Rated Load: 3 Ton



MAC AFRIC

CHAIN BLOCKS

① Triangle VC Type with 3m Lift

CE Model	Safe Working Capacity	Code
1000	0.75 Ton	GCHAIN-101
2000	1.5 Ton	GCHAIN-102
5000	4 Ton	GCHAIN-105

② With 3m Lift

CE Model	Safe Working Capacity	Code
1000	0.75 Ton	GCHAIN-001
2000	1.5 Ton	GCHAIN-002
5000	4 Ton	GCHAIN-005



HYDRAULIC LIFTING TABLES

250kg 500kg (shown)

	Single Scissors	Double Scissors
Table	800 x 500mm	1 010 x 520mm
Table Height	335 - 915mm	430 - 1 000mm
Stroke	580mm	570mm
Weight	78kg	118kg
	GPALLT-007	GPALLT-008



HAND PALLET TRUCKS

HEAVY DUTY

	(shown) 2.5 Ton	2 Ton	2 Ton (Narrow Fork)	1.5 Ton (Low Level)
Outer Width of Fork	685mm	685mm	510.5mm	665mm
Inner Width of Fork	360mm	375mm	200.5mm	340mm
Fork Length	1 200mm	1 200mm	1 000mm	1 220mm
Height	80 - 200mm	80 - 200mm	80 - 200mm	52 - 150mm
	GPALLT-002	GPALLT-000	GPALLT-005	GPALLT-001

EXCELLENT QUALITY


VISIT OUR WEBSITE FOR DETAILED FEATURES & SPECIFICATIONS

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

DENT LIFTER KIT WITH ATTACHMENTS & GLUE GUN

GBODYR-001



OPTIONAL EXTRA

Sliding Hammer for
Dent Lifter Kit

GHAMSL-002

SLIDE HAMMER & DENT PULLER KITS

(shown)
12 Piece

GHAMSL-013


14 Piece Heavy Duty

GHAMSL-014



SMALL & BOX MOUTH PULL CLAMPS

①	5 Ton Box Clamp	GCLAMP-003
②	3 Ton Box Clamp	GCLAMP-002
③	5 Ton Small Mouth	GCLAMP-001



**SUPER STURDY
PORTABLE
FOLDABLE
WORK PAINT STAND**
• With rubber
protection

GSTAND-020

PLASTIC CAR RAMPS



GRAMPS-002

- Weight Capacity:
1 136kg per pair

HYDRAULIC BODY REPAIR KITS WITH ATTACHMENTS

WITH NEW IMPROVED SEALS

- Model Contents Vary

**EXCELLENT
QUALITY**



(shown)

HEAVY DUTY

10 Ton

GBODYR-010

15 Ton

GBODYR-015

20 Ton

GBODYR-020

PANELBEATING KITS



7 Piece

GPANEL-001



9 Piece

GPANEL-009

WHEEL ARCH FENDER ROLLER

GPANFR-001

- Flares Arches • Repair Arch Damage
- Bolts directly to Hub Flange
- Adjustable



1" DRIVE TRUCK WHEEL NUT REMOVERS



3 800Nm Torque Output: 1:60

GWRENC-280

5 200Nm Torque Output: 1:90

GWRENC-520

Sockets not included



**OPTIONAL
EXTRA**

1" Drive Sockets
(see page 7)

TRIM REMOVAL TOOL SETS



27 Piece

GPANEL-027

11 Piece (shown)

GPANEL-011

10 TON FRAME STRAIGHTNER



GSTRGT-001

With Anchor Post for added Flexibility, includes
Accessories as shown.

POLISHERS

MAC AFRIC

**EXCELLENT
QUALITY**



TPOLIS-182

Vertical Polisher

• 570W • 180mm



TPOLIS-180

Angle Polisher

• 1 400W • 180mm



TPOLIS-151

Random Orbital
Polisher

• 900W • 150mm

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

680W BLOWER/VACUUM

SBLOWR-001

- Air Flow: 1.1 - 3.2m³/min
- Robust design with a pre-selection thumb wheel for varied output

550W DIE GRINDER SCREWDRIVER

SGRIND-006

- Ideal for grinding, deburring or polishing
- Easy operation by slide switch
- Balanced armature reduces vibration • Collet: 6mm

1 400W CIRCULAR SAW

SSAWCL-001

- Features an adjustable cutting depth and angle adjustment so it can produce a wide range of cuts to suit the requirements of many applications with ease.

Blade not included

710W ELECTRIC DRYWALL SCREWDRIVER

SSCREW-001

- The MAC AFRIC variable speed Drywall Screwdriver features an adjustable nose piece with depth adjustment, making it perfect for drywall jobs. Features a powerful 710W high performance motor for drywall and panel screw driving.

800W, ELECTRIC MIXER

SMIXER-001

- Its double handle offers greater stability to the user and allows a much more precise mixing. It's for quicker and easier mixing of powders, paint, etc.
- Includes Spiral Bit

OPTIONAL EXTRA

Spiral Stirrer

SMIXER-002

590W RECIPROCATING SAW

SSAWRP-001

- A professional & efficient handheld saw ideal for quick cuts of steel and other softer materials.

Blade not included

SANDERS

SSANDB-001

1 200W Belt Sander

- The MAC AFRIC 1 200W Belt Sander features a variable speed function, two ergonomic handles for increased control, performance and manoeuvrability, equipped with a top-level dust extraction port.
- With a large range of different grade abrasive sanding belts available in store this is an excellent belt sander for large surface removal as well, also suited for the more refined general sanding that requires fine finishing too.
- Belt changes are easy with a convenient quick-release lever. • Belt size: 100 x 610mm

SSANDB-002

500W, Narrow Belt Sander

- A great versatile tool for sanding, shaping, filing, sharpening, removing rust spots & corrosion on the metal surface, and many other applications.
- Belt Size: 9 x 533mm

SSANDR-001

300W Random Orbital Sander

- Compact, ergonomic design with large soft grip surfaces for variable grip positions and outstanding comfort.
- Microfilter System for perfect, efficient dust extraction.

SSANDF-001

330W Orbital Finishing Sander

- Plate Size: 114 x 234mm
- Features a variable speed selection and ergonomically designed handle with soft grip.

840W PLANER

SPLANE-001

- The MAC AFRIC Electric Planer ensures consistent material removal and high surface quality.
- The combined guidance and cutting depth adjustment handle that ensures precision and secure guidance of the tool.
- Cutting Width: 110mm • Cutting Depth: 2mm

1 650W ROUTER

SRROUTR-001

- Collet Capacity: 12.7mm
- Comfortable handles
- Maximum precision

2 000 W HEAT GUN

THEATG-001

COMBINATION ROTARY TOOL KITS WITH ACCESSORIES

Versatile Tool Kits for Drilling, Engraving, Polishing, Cleaning, Cutting and Grinding. Ideal for D.I.Y. Hobby and Model Enthusiasts for Intricate Detailed Work.



1 HENGDR-004

• 125W • 230V



2 HENGDR-210

• 130W • 230V



3 HENGDR-190

• 170W • 230V

550W ROUTER TRIMMER

SRROUTR-002

- The MAC AFRIC 550W Router Trimmer features a lightweight aluminium housing and base to maximise operator control and use.
- A flat-top and horizontally installed power supply cord provides stability.
- Double insulation, constant speed, soft start makes this trimmer the ideal essential addition for the woodworking enthusiast.
- Collet Chuck Capacity: 6.35/6mm.



540W DIY 115MM ANGLE GRINDER

SGRIND-114



Disc
not
included

- Ideal for serious DIY jobs around the home or workshop

2 200W, 230MM ANGLE GRINDER

SGRIND-230



Disc
not
included

- Includes a 3-position auxiliary handle for user comfort
- Ideal for the trade and DIY use and benefits from a powerful 2 200W motor that cuts and grinds through metal and masonry tasks.

840W, 115MM ANGLE GRINDER

SGRIND-115



Disc
not
included

- Ideal for the trade and DIY use and benefits from a powerful 840W motor that cuts and grinds through metal and masonry tasks.

ROTARY HAMMER DRILLS



Drill
Bits not
included

SDRILI-002

720W, 26mm Rotary Hammer Drill

- Gives you the power to bore into concrete and masonry or drill into wood with ease.
- Features an ergonomic handle grip, 3 mode selection and uses SDS Plus for easy bit changes.
- 1 200r/min



SDRILR-038

1 100W, 32mm Rotary Hammer Drill

This Professional Rotary Hammer Drill has the necessary power and large chuck capacity to tackle tough drilling and chiselling jobs.

- Features: Rotary hammer function, adjustable handle, ergonomic handle grip
- Includes dept gauge & dust cap
- SDS Max.

700W IMPACT DRILL

SDRILI-001



- The MAC AFRIC 700W Reversible Impact Drill features a variable speed accurate control, high quality keyed chuck with an ergonomic soft handle grip to maximise operator use
- Supplied with a depth gauge and adjustable handle
- Ideal for many uses around the home or workshop

The MAC AFRIC 18V Professional Quality Cordless Power Tool Range is powered with Lithium-Ion technology making it low maintenance and longer-lasting. Our battery and charger (sold separately) is interchangeable across all MAC AFRIC 18V Professional Quality Power Tool products offering convenience, with unique integration making the MAC AFRIC Professional Quality Cordless Range an affordable cost-saving solution.

WHY CHOOSE BRUSHLESS?

The MAC AFRIC brushless motors feature improved efficiency, high performance, longer lifespan, reduced maintenance, reduced heat and noise. Our MAC AFRIC Professional Quality cordless range offers you simple convenience with great performance.

Battery
and Charger
sold
separately

SDRILC-007

Professional Cordless Brushless IMPACT DRIVER DRILL (18V LI-ION)

- Recommended Battery: 18V 4.0Ah
- Clamping Capacity: 6.5mm hex
- Max. Screw diameter: 14mm
- Torque Settings:
Low - 140Nm, High - 175Nm
(Battery for illustrative purposes only - not included)



SDRILC-006

Professional Cordless Brushless Drill

- Recommended Battery: 18V 4.0Ah
- Max. Drilling capacity: Steel: 16mm; Wood: 38mm
- Max. Torque: 45Nm
(Battery for illustrative purposes only - not included)



SGRINC-001

Professional Cordless Brushless Angle Grinder (18V LI-ION)

- Recommended Battery: 18V 4.0Ah
- Powerful 18V Angle Grinder
- Compact design and light weight
(Battery for illustrative purposes only - not included)



CORDLESS BLOWER (18V LI-ION)

SBLOWC-001



- Variable Speed
- Cordless convenience, great performance & easy to use
- Compact & lightweight for greater comfort and control in use
(Battery for illustrative purposes only - not included)

CORDLESS RECIPROCATING SAW (18V LI-ION)

SSAWRP-002



- Recommended Battery: 18V 4.0Ah
- Max. Cutting capacity: Metal: 20mm; Wood: 250mm
(Battery for illustrative purposes only - not included)

CHARGER AND BATTERIES



SCHARG-001

18V Charger

- Charging Current: 3Ah
- Suitable for 2.0 & 4.0Ah Batteries



SBATTR-002

LI-ION Battery (2.0Ah 18V)

- Charging Current: 2Ah
- Input Voltage: 18V
- Battery: 2.0Ah



SBATTR-004

LI-ION Battery (4.0Ah 18V)

- Charging Current: 4Ah
- Input Voltage: 18V
- Battery: 4.0Ah

Battery
and Charger
sold
separately

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

250MM D.I.Y. TABLE SAWS



Aluminium Table with Extension and Folding Stand

Super Sturdy Stand

WSAWLD-004

- Motor: 1 800W, 230V, 50Hz
- Blade Size: Ø250mm x Ø16
- Table Size: 642 x 487mm
- Cutting Height Max: 65mm/45°
- Height Adjustment: 0 - 85mm
- Tilting Saw Blade: 0 - 45°


WSAWLD-003

- Motor: 230V, 50Hz, 1 800W
- Blade Size: Ø250mm x Ø16
- Table Size: 642 x 532mm
- Cutting Height Max: 55mm/45°
- Height Adjustment: 0 - 80mm
- Tilting Saw Blade: 0 - 45°

PROFESSIONAL'S CHOICE

WSAWHD-251

250mm Contractors Mobile Tilting Arbor Table Saw with Adjustable Stand



MORTICE LOCK FITTING JIG

WMORTI-012



MAC AFRIC

WOODWORKING VICE

PROFESSIONAL

WVICEW-225



250MM TILTING ARBOR TABLE SAW

WSAWHD-250

- Motor: 2.2kW, 230V, Belt Driven
- Mitre Angle: 45°
- Blade Size: 254mm
- rpm, no load: 2 900
- Max. Cut Depth: 85mm
- Table Size: 508mm x 686mm
- Gross Weight: 110kg

HEAVY DUTY




MAC AFRIC 393 COMBINATION WOODWORKING MACHINE

Planer, Circular Saw, Drill, Thicknesser, Morticing, etc.

WPLANM-393

- Motor: 2.2kW, 230V
- Planing: 300 x 3mm
- Sawing: 300 x 85mm
- Drilling: 13mm
- Thicknessing (H): 6 - 125mm



Makita

Makita Power Tools available. Enquire in store.



DUST COLLECTORS

(shown)

	0.75kW 230V Motor	1.5kW 230V Motor	2.2kW 380V Motor, Double Head
	Single Bag	Single Bag	Double Bag
Fan Ø	230mm	300mm	305mm
Inlet Ø	100mm	125mm	150mm
Bag Ø	370mm	500mm	500mm
Bag Height	640mm	850mm	850mm
Air Speed	600cfm (14.15m³/mm)	1 490cfm (42.15m³/mm)	2 300cfm (65.09m³/mm)
	WDUSTC-001	WDUSTC-002	WDUSTC-003

300MM PANEL SAW WITH SAW SCORING FUNCTION

- Motor: 2.2kW
- Sliding Action: 2 800mm
- Saw Blade Ø: 300mm
- Major Table Size: 385 x 800mm
- Length of Sliding Table: 3 200mm
- Suitable for Standard Full Sheet Size

380V

WSAWPN-303

230V

WSAWPN-302



ALSO AVAILABLE

Range of Adjustable Roller Stands

ENQUIRE IN STORE

BAND SAWS

230mm (9"), Bench Model

WSAWBS-009

- Motor: 350W, 230V, 50Hz
- Max. Cutting Depth: 80mm
- Max. Cutting Width: 230mm
- Table Size: 305 x 305mm
- Blade Length: 1 575mm
- Width: 6.35mm
- Teeth: 6 TPI
- Thickness: 0.3mm

MAC AFRIC



	350mm (14")	(shown) 400mm (16")
Motor	0.75kW, 230V	1.55kW, 230V
Capacity	335 x 160mm	370 x 200mm
Table Pivot Capacity	0 - 45°	0 - 45°
Blade Size	2 480mm	2 950mm
	WSAWBS-014	WSAWBS-016

WSAWMF-004*(shown)*

- 750W • 230V • Cutting Depth: 250mm
- Table Size: 375 x 380mm
- Blade Size: 1 650 x 16 x 0.5mm

- **Stainless Steel** • 750W • 230V
- Table Size: 495 x 440mm • Cutting Depth: 240mm
- Blade Size: 1 650 x 16 x 0.5mm

WSAWMF-006**WLATHE-900****WLATHE-100****HMIXER-012****HFILER-005****WLATHE-001****ALSO AVAILABLE**

Range of Wood Lathe Chucks

ENQUIRE IN STORE**WOOD TURNING CHISEL SET**
Tork Craft
 Power Tool Accessories
*(shown)***WCHIST-009**
8 Piece Standard
 • In Carry Case
WCHIST-010
8 Piece Professional
 • H.S.S. in Carry Case
**PROFESSIONAL**
4" Self Centering Wood Working Chuck

- Thread Size: 1", 8TPI

WCHUCK-005**WCHUCK-004****WSAWMF-001****POWERPLUS®**
750W Rotary Hammer Drill (POWX1170)
YDRILR-117
20V Li-Ion Cordless Drill
 (POWX0435)

- Including 2 x Batteries

YDRILC-435
2 450W, 230mm Angle Grinder
YGRINH-230
1 600W Rotary Hammer Drill (POWX1175)
YDRILR-155
710W Impact Drill (POWX026)
YDRILI-002
900W, 115mm Angle Grinder (POWX0611)
YGRIND-900
1 200W Variable Speed Router (POWX0910)
YROUTR-001
Belt Sander (POWX0460)
YSANDB-001
1 400W Circular Saw (POWX0520)
YSAWCL-001
450W Random Orbital Sander (POWX0471)
YSANDR-001
720W Reciprocating Saw (POWX0397)
YSAWRP-001
900W Biscuit Jointer (POWX131)
YBISCT-001
260W Finishing Sander (POWX0401)
YSANDF-001
600W Variable Speed Jigsaw (POWX0330)
YSAWJG-001
220W Mouse Sander (POWX0480)
YSANDM-001**Tel: +258 86 5330 166**

PROFESSIONAL'S CHOICE

550MM GEARED HEAD BENCH LATHE

ELATHE-613

- Motor: 1.1kW, 230V
- Max. Swing Over Bed: 330mm
- Spindle Bore: 38mm
- Spindle Taper: MT5
- Tail Stock Sleeve Taper: MT3
- Swing Over Carriage: 210mm
- Distance between centres: 550mm

STAND
OPTIONAL EXTRA

ELATHE-614




PROFESSIONAL

750MM GEARED HEAD BENCH LATHE

ELATHE-750

Our MAC AFRIC ELATHE-750 is superbly engineered, featuring a solid construction, superb precision, and smooth operation with a multitude of features which makes this model outstanding value for money and the professional enthusiast/engineers choice.



STAND
OPTIONAL EXTRA

ELATHE-751

- Max. Swing Over Bed: 330mm
- Max. Length of Workpiece: 750mm
- Max. Swing Carriage: 220mm
- Bed Width: 160mm
- Spindle Bore: 38mm
- Spindle Taper: MT#5
- Spindle Speeds: 12 steps
- Spindle Speeds Range: 60, 90, 120, 160, 220, 300, 380, 500, 640, 850, 110, 1 650rpm

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

ONLY AVAILABLE AT CERTAIN STORES.

520MM BELT DRIVEN SCREWCUTTING BENCH LATHE

ELATHE-520

- Motor: 0.55kW, 230V
- Swing Over Bed: 210mm
- Spindle Bore: 20mm
- Spindle Taper: MT3
- Spindle Speed: 140 - 1 800rpm
- Distance Between Centres: 520mm
- Includes 3 Jaw Chuck (100mm)

STAND
OPTIONAL EXTRA

ELATHE-521



180MM VARIABLE SPEED MINI BENCH LATHE

ELATHE-181


- Motor: 0.4kW, 230V
- Swing Over Bed: 180mm
- Spindle Bore: 20mm
- Spindle Speed Range: (L) 200 - 1 150rpm (H) 460 - 2 500rpm
- Distance Between Centres: 310mm
- Tail Stock Taper: MT2



500MM GEARED HEAD BENCH LATHE

ELATHE-250

- Motor: 750W, 230V
- Including 3 Jaw Chuck
- Distance Between Centres: 500mm
- Max. Swing Over Bed: 250mm
- Range of Thread: 0.25 - 2.5mm
- Spindle Bore: MT3
- Weight: 180kg
- Spindle Speeds: 12 Steps 80 - 1 600rpm



500MM GEARED HEAD METAL SCREWCUTTING BENCH LATHE

ELATHE-500

- Motor: 0.55kW, 230V
- Swing Over Bed: 205mm
- Spindle Bore: 20mm
- Thread Pitches: 0.4 to 3mm
- Auto Feed
- Distance Between Centres: 500mm
- Includes 3 Jaw Chuck (125mm)
- Weight: 125kg

STAND
OPTIONAL EXTRA

ELATHE-501



BRAKE DISC AND DRUM LATHE

ELATHB-001

- Motor: 1.1kW, 230V
- The all-new MAC AFRIC disc and drum lathe is a great new edition of our garage range. This machine revolutionizes the concept of lathing and offers a complete solution for brake disc and drum reconditioning. The lathe features solid construction, dual functionality with a 3-speed spindle operation for a quality finish in less time. Ideal for disc size(s) 180 - 400mm not exceeding 40mm thickness and for the brake drum's - outer diameter 180 - 450mm. The user-friendly features an infinitely adjustable spindle-feed gearbox that allows the operator to precisely pin point the right settings for precision turning. This machine is a great all-rounder offering reliability and durability to complete the garage workshop.



SEE OUR VIDEO ON YouTube

ONLY AVAILABLE AT CERTAIN STORES.

GEARED HEAD METAL LATHES

ALSO AVAILABLE
LARGER MODELS

1.5m and 2m from Aeroton
Johannesburg South Warehouse Only

ONLY AVAILABLE AT CERTAIN STORES.

ENQUIRE IN
STORE

MAC AFRIC



	(shown) 632C	636A	Turner 3610	Industrial Tool Room D420
Powerful Motor	1.5kW, 230V	1.5kW, 230V	1.5kW, 230V	3kW, 380V
Swing Over Bed	320mm	360mm	360mm	410mm
Swing Over Cross Slide	178mm	198mm	210mm	255mm
Distance Between Centres	1 000mm	1 000mm	1 000mm	1 000mm
Swing in Gap	450mm	476mm	490mm	540mm
Spindle Bore	38mm	38mm	52mm	54mm
Spindle Taper/Tail Stock	MT5/3	MT5/3	MT6/4	MT6/4
Gross Weight	550kg	620kg	640kg	1 500kg
	ELATHE-100	ELATHE-107	ELATHE-106	ELATHE-104
	Pedestal & Splash Cover	Footbrake, Pedestal & Splash Cover	3-axis D.R.O. Footbrake, Pedestal & Splash Cover	Footbrake, Stand & Splash Cover

Please enquire at
your nearest store
for stock availability

ACCESSORIES INCLUDED



VISIT OUR WEBSITE FOR
DETAILED SPECIFICATIONS

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

DIAL GAUGES



① Dial Test Indicator Gauge Plunger Type • 0.01mm (shown)	EAGAUD-001
② Magnetic Base (shown)	EAMAGB-001
Magnetic Base with Micro Adjusting Arm	EAMAGB-002
Dial Test Indicator Gauge with Toggle Switch • Range: 0.8mm • Reading: 0.01mm	EAGAUG-002
Electronic Digital Dial Indicator Gauge Plunger Type • 0 - 12.7mm/0.5"	EAGAUD-002

COMPOUND CROSS SLIDE TABLES




Table Size	① 330 x 220mm	② 425 x 240mm
Height	115mm	125mm
x-travel	190mm	225mm
y-travel	100mm	150mm
	EATABL-001	EATABL-002

VERNIERS



Digital	• Power on/off Switch • Metric/Imperial Switch
150mm Caliper (shown) • High Accuracy: Scale: 0.02mm (0.01mm)	EAVERD-151
200mm Caliper • High Accuracy: Scale: 0.02mm (0.01mm)	EAVERD-200
300mm Caliper • High Accuracy: Scale: 0.02mm (0.01mm)	EAVERD-300
Standard Type • Stainless Steel	
150mm Caliper • Accuracy: 0.02mm	EAVERN-150
200mm Caliper • Accuracy: 0.02mm	EAVERN-201
300mm Caliper • Accuracy: 0.02mm	EAVERN-301



EAVERN-155 (shown)

- Stainless Steel
- High Accuracy: Scale: 0.02mm (0.01mm)

MICROMETERS




DIGITAL OUTSIDE 0 - 25mm
EAMICR-025



EAMICR-004
Set of 4 • 0 - 100mm
• High Accuracy: Scale: 0.01mm

ALSO AVAILABLE INDIVIDUALLY


- 0 - 25mm
- 100 - 200mm
- 150 - 300mm



INSIDE

- 5 - 100mm **EAMICR-100**
- 5 - 30mm **EAMICR-030**

SEMI UNIVERSAL DIVIDING HEAD



EADIVH-100 Including 130mm 3 Jaw Chuck

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

ONLY AVAILABLE AT CERTAIN STORES.

4 PIECE MEASURING SET



EAMICM-004

- 150mm Vernier
- 150mm Steel Rule
- 0 - 25mm Outside Micrometer
- 100 x 70mm Square
- In Case

5 PIECE WIGGLER & CENTRE FINDER SET



EAFIND-002

EDGE FINDER



EAFIND-001

MACHINIST 1-2-3 SET UP BLOCKS



EABLOC-123

- Accuracy: 0.0003mm

150MM MEASURING CALIPERS




INSIDE **EAVERI-150**

OUTSIDE **EAVERO-150**

58 PIECE CLAMPING KITS

Stud Size	Table Slot	Code
M10	T12mm	EACLAM-010
M12	T14mm	EACLAM-012
M14	T16mm	EACLAM-014



ARBOR COLLET CHUCK SETS



8 Piece R8 (2 - 10mm) **EACOLT-008**
Sizes: 3, 4, 5, 6, 8, 10, 14, 15, 16, 18, 20mm

8 Piece MT2 (2 - 10mm) **EACOLT-002**

9 Piece MT3 (4 - 16mm) **EACOLT-016**

12 Piece MT3 (M12) ER32 **EACOLT-032 (shown)**

12 Piece R8 (M12) ER32 **EACOLT-031**

QUICK CHANGE TOOL POSTS

4 (STANDARD) HOLDERS INCLUDED

FEATURES: • Ease of Operation Cuts Set-up Time by 90%
• Handy Lathe Accessory for Tool Rooms & General Engineering Shops • No Shims are required to Adjust Tools to Correct Centre Height

PLEASE NOTE: Some Machining required to suit your Lathe

10mm	EAPOST-010	16mm	EAPOST-016
12mm	EAPOST-012	25mm	EAPOST-025



BORING BAR SETS

9 Piece
Round Shank: 12mm
EABORI-009



ALSO AVAILABLE


12 Piece
Round Shank: 18mm
EABORI-012

"LIVE" CENTRES




MT1 EACENT-002 MT4 EACENT-004
MT2 EACENT-000 MT5 EACENT-005
MT3 EACENT-001

COOLANT HOSE KITS



1/4" Hose Kit & Magnetic Base	EHOSEC-001
1/2" Hose Set (shown)	EHOSEC-002
1/2" Hose Set & Magnetic Base (shown)	EHOSEC-003

160MM ROTARY TABLE



EATABL-160


F1 - 50 BORING HEAD



• MT3

EABORI-050

LATHE CHUCKS



3 Jaw (self centering)
• 100 - 200mm
4 Jaw (independant)
• 100 - 250mm

ENQUIRE IN STORE

PLEASE NOTE: To fit these Chucks, Back Plate modifications are required.

H.S.S. END MILL SETS

Range of loose End Mills available



13 Piece **23 Piece**

Round Shank	
4 - 16mm	3 - 25mm
EAMILS-016	EAMILS-023

PARTING TOOLS

D.I.Y.

• Square Shank Size: 12 & 16mm



12mm **EACUTP-012** 16mm **EACUTP-016**

Assorted D.I.Y. Metal Lathe Cutter Set


D.I.Y.

5 Piece

Shank Size	
8mm x 8mm	EACUTB-004
10mm x 10mm	EACUTB-005 (shown)
8 Piece	
6mm x 6mm	EACUTB-008


VICES

Machine Tool Vices




80mm	EVICEM-001
120mm	EVICEM-125
200mm	EVICEM-200

Drill Press Vices



75mm **EVICDP-001** 100mm **EVICDP-004** 150mm **EVICDP-006**



PROFESSIONAL


100mm **EVICDP-002** 150mm **EVICDP-003**



150mm **EVICES-605**

Offset Steel Vice

HEAVY DUTY



Cross Slide Vices

100mm **EVICEC-101** 150mm **EVICEC-151**



EVICES-601

Bench Vices

EVICES-010

ALSO AVAILABLE
Large Range of Bench Vices from 4" - 8" and Anvils 20, 30 & 50kg

WHY DUCTILE STEEL? It is more flexible and elastic due to its nodular graphite inclusions

① 6" 150mm Industrial Bench Ductile Iron, Swivel Base, 16.5kg (shown)	EVICES-601
---	-------------------

CAST IRON

4" 100mm Swivel Base, 6kg	EVICES-404
② 6" 150mm Fixed Base, 15.5kg (shown)	EVICES-010
HEAVY DUTY 6" 150mm Fixed Base, 28kg	EVICES-603
8" 200mm Fixed Base with Anvil, 45kg	EVICES-803

CUTTING TOOL SETS

Indexable 7 Piece



10mm **EACUTT-001**
12mm **EACUTT-000**
16mm **EACUTT-016**



Indexable 9 Piece

20mm **EACUTT-020** 25mm **EACUTT-025**

ALSO AVAILABLE

Large range of assorted replacement Cutting Tips for above Sets

ENQUIRE IN STORE

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

BENDERS

EBENDR-001

Universal Type for hot or cold bending
(various shapes)

- Cold Bending:**
- Square Steel: 16 x 16mm
 - Round Steel Ø: 18mm
 - Angle: 60 x 8mm
 - Flat Steel: 70 x 6mm; 60 x 8mm; 30 x 12mm
- Hot Bending:**
- Square Steel: 30 x 30mm
 - Round Steel Ø: 30mm
 - Angle: 70 x 15mm
 - Flat Steel: 70 x 15mm; 60 x 20mm

EBENDR-002

Compact Bender Set

- 1" - 3" • Mild Steel
- Right Angle Bending
- Capacity: 0 - 200mm
- Suitable for Flat, Square, and Solid Bar

EBENDR-000

Universal Scroll Bender

- Capacities:
- Round Bar Ø: 10mm
 - Flat Bar: 30 x 10mm
 - Square Bar: 10 x 10mm

GUILLOTINE, BENDER & ROLLER

Sheet Metal Forming 3-in-1 Machines

MILD STEEL ONLY

Rated Mild Steel Material Dependant

Roller
Bender
Guillotine

Width Capacity Code

1 000mm	1 000mm x 1mm	ESHEET-100
1 320mm	1 320mm x 1mm	ESHEET-132
1 320mm	1 320mm x 1.5mm	ESHEET-133

ROTARY (JENNY) MACHINE & STANDAND FLAT STEEL

Supplied with Standard Set of Forming Dies

Model RM08 (shown)
Capacity: 0.8mm
Throat Depth: 177mm

EBENDR-008

Model RM12
Capacity: 1.2mm
Throat Depth: 400mm

EBENDR-012

MULTI PURPOSE METAL CRAFT BENDING SET

- Shearing** • Flat Bar: 30 x 5mm
• Square Bar: 6 x 6mm • Round Bar: 6mm
- Punching** • 4mm Diameter
- Screwing** • Flat Bar: 30 x 5mm
• Square Bar: 10 x 10mm
- Curving** • Flat Bar: 30 x 5mm
• Square Bar: 8 x 8mm • Round Bar: 10mm

EBENDR-003

Functions: Riveting, Rolling, Bending, Twisting, Scrolling and Shearing

Ideal for Decorative Metal Bending

SLIP ROLLERS

- High Strength Steel Rollers
- Quick Release Top Roller
- Hardened Steel Gearing

Capacity Roll (Ø size) Code

Mini 305mm x 0.8mm	32mm	ESLIPR-002
900mm x 1.5mm	50mm	ESLIPR-001
1 300mm x 1.5mm	75mm	ESLIPR-003

ARBOR PRESSES

Throat Depth Code

1 Ton	110mm	EPRESA-001
2 Ton	190mm	EPRESA-002
3 Ton	300mm	EPRESA-003
5 Ton	450mm	EPRESA-005



SHRINKER/STRETCHER COMBO SET

EBENSS-001

Ideal for sheet metal forming. Makes it easy to add strength & rigity to your sheet metal projects.

ACCESSORIES INCLUDED
Complete with Shrinking/Stretching Die Set



MINI GUILLOTINE, BENDER & ROLLER

ESHEET-305


- Capacity: 1mm x 305mm
- Roller Ø: 38mm



STEEL CROPPER FOR ROUND, ANGLE AND FLAT STEEL

ESHEAR-002


VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



MULTI FUNCTION SHEARING MACHINES

230V **ESHEAR-001**
380V **ESHEAR-000**

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



TUBE NOTCHER



Attachment for Pedestal Drill

ETUBEN-001

- Spindle: 1/2"
- Tube Capacity: 2" (50mm)
- Angle Capacity: 0 - 60°

4 TON HAND NOTCHER

ENOTCH-000

- Mild Steel
- Stroke: 19mm
- Max. Notching: 150 x 150mm
- Cutting Capacity: 16# 1.6mm



RING ROLLERS

Supplied with Standard Set of Forming Dies

MANUALLY OPERATED

EBENRR-004

For Solids

- Solid Flat Bar Mild Steel: 20mm x 5mm min. Ø 160mm 50mm x 10mm min. Ø 400mm
- Solid Square Bar Mild Steel: 10mm x 10mm min. Ø 160mm 20mm x 20mm min. Ø 500mm



EBENRR-001

- Ring Size Range: 25 - 75mm
- Round Steel Capacity: 6mm
- Flat Steel Capacity: 5 - 25mm



FOOT SHEARER/GUILLOTINE

EXCELLENT QUALITY

ESHEAR-132

- Capacity: 1.5mm x 1 320mm
- With Foot Control for Easy Operation

Rated Mild Steel Material Dependant

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

GUILLOTINE/SHEARS



ESHEAR-101

- Capacity: 1 000 x 1.5mm
- Mild Steel: 1.5mm

280mm Metal Shear, Bench Type

- Mild Steel: 1mm

ESHEAR-003

Rated Mild Steel Material Dependant

PIPE BENDERS

Our range of **MACAFRIC** Hydraulic Pipe Benders are designed for precision cold bending of schedule 40/80 (thick wall) pipes which makes these ideal for a variety of pipe work installations and general engineering applications. (Not suitable for thin wall piping.) Ideal for manufacturing gates, etc. **Pipe Wall Thickness minimum 4mm**



12 Ton (shown) • Bending Capacity: 1/2" - 2"
(12.5, 20, 32, 40, 50mm)

GPIPEB-012

16 Ton • Bending Capacity: 1/2" - 3"
(12.5, 20, 32, 40, 50, 65, 75mm)

GPIPEB-016

16 Ton Hydraulic Horizontal with Stand (shown)

- 2 Stage Jack
- Bending Capacity: 1/2" - 3" (12.5 - 75mm)

GPIPEB-003

GPIPEB-004

HEAVY DUTY

18 Ton Hydraulic Horizontal with Stand

- 2 Stage Jack • Bending Capacity: 1/2" - 3" (12.5 - 75mm)

BOX AND PAN SHEET METAL FOLDERS

EBENDB-127

- Capacity: 2.0mm x 1 270mm
- Folding Angle: 135°
- Max. Clamping Bar Lift: 47mm
- Weight: 385kg
- With Foot Control for Easy Operation

Rated Mild Steel Material Dependant

AVAILABLE FROM AEROTON JOHANNESBURG SOUTH WAREHOUSE ONLY



(shown)

1.0mm x 610mm 1.2mm x 1 220mm

EBENDB-160

EBENDB-122

SHEET METAL BENDING BRAKES



900mm

ESHEET-001

- Width: 900mm
- Capacity: 1.6mm x 900mm



1 200mm

ESHEET-048


- Capacity: 1.2mm x 1 200mm

Rated Mild Steel Material Dependant

HAND PIPE BENDING SET

GPIPHB-001

- Max. Bending Angle: 180°
- Round Pipe: 10, 12.5, 16, 19, 22mm
- Pipe Wall Thickness: 0.8mm - 1.2mm (Material Dependant)
- 2 Set Square Pipe Dies and Rollers: 19, 25mm



OPTIONAL EXTRA

25mm Round Pipe Die

GPIPHB-000

HAND PIPE BENDER

PROFESSIONAL

GPIPHB-025

- Max. Bending Angle: 270°
- Wall Thickness (mm): 0.8 - 1.2mm
- Standard Dies: 1/2", 9/16", 5/8", 3/4", 7/8", 1"

Rated Mild Steel Material Dependant



SQUARE TUBE ROLLER

Complete with a Set of Rollers

EBENDR-006




Max. Capacity Mild Steel	Min. Ø	Min. Radius
20 x 20 x 1.2mm	450mm	180mm
25 x 25 x 1.2mm	500mm	170mm
30 x 30 x 1.5mm	550mm	200mm
40 x 40 x 1.5mm	600mm	220mm

HYDRAULIC EXHAUST-TUBE BENDER

PROFESSIONAL

GPIPEB-007

- Motor: 5.5kW, 7.5hp, 380V
- Bending Capacity: 1/2" - 2 1/2" OD
- Max. Bending Capacity: 1/2" - 3" OD
- Swaging Capacity: 1" - 3"
- Hydraulic Pump Output: 4 200psi
- Max. Bending Force: 27 215kg
- Dimensions: 1 800mm x 900mm x 108mm



AVAILABLE FROM JOHANNESBURG SOUTH WAREHOUSE ONLY

MULTI FUNCTION ROLLING TYPE PIPE BENDING MACHINE

GPIPEB-005

- Motor: 1.5kW, 230V
- Includes: 9 Round Pipe Moulds: 16, 19, 22, 25, 51, 32, 38, 63, 76mm
- 8 Square Pipe Moulds: 16, 19, 22, 25, 30, 38, 40, 50mm
- Bending Wall Thickness: 0.5 - 2mm

Rated Mild Steel Material Dependant



Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

LASER LEVELS

1 3-line Professional Laser Level (shown)
TLASER-300

3 **OPTIONAL EXTRA**
Tripod Stand
TLASER-100

2 5-line Professional Laser Level
TLASER-500

DIGITAL SOUND LEVEL METER

TTESDM-000

- Accuracy up to $\pm 1.5\text{dB}$
- Measurement range: 30 - 130dB
- Automatic backlight
- Auto power off 10 min.

WOOD MOISTURE TESTER

TTESDM-001

This unit is an advanced tester for measuring the moisture content of wood whose thickness is less than 20 mm. It features an LCD, back-light, low power indication, and direct reading. It is compact, easy to carry and use. Auto power-off function.

DIGITAL MULTIMETERS

1	Model DT830D (D.I.Y.)	TTESDM-830
2	Model MAS850	TTESDM-850
3	Model 266 with Clamp Meter	TTESDM-266
4	Model DT920	TTESDM-920
5	Model EM6187	TTESDM-618

TESTERS

Metal-Wood Wall Detector
TTESDM-015

- Wood: 20mm • Copper Conductors (live) 50mm • Ferrous Metals: 100mm • Non-ferrous Metals: 80mm

Non-contact Voltage Tester
TTTEST-001

- Voltage Range: 10 - 590V AC/DC
- Single Pole Voltage: 100 - 690V
- Frequency Range: 45 - 65Hz
- Rotary Field Indication Voltage: 100 - 690V

Multifunction Voltage Tester
TTTEST-002

- Voltage Detecting Range: 5V AC - 1 000V AC
- Frequency Range: 50Hz - 400Hz
- Safety Category: CAT IV 1 000V

INFRARED THERMAL IMAGING CAMERA

Model HT 18
TTTEST-004

Model HT 02
TTTEST-003

- Ideal for Electricians, Automotive Industry, Aviation and many more

FLUKE **SEE RANGE IN STORE**

Fluke 107 Multimeter
TTESDM-107

Fluke 302 Clamp Multimeter
TTESDM-302

6 PIECE AUTOMOTIVE TESTER KIT

TTESDM-006

This Comprehensive Kit consists of an Electronic Stethoscope, Non-contact Infrared Thermometer, 2-in-1 Digital Tyre Pressure Gauge, Spark Indicator, Automotive Open - Short Finder and Digital Automotive Pen Probe. Easily Detect Noise Malfunction, Temperature, Spark, Short Circuits, Trace Wires or Cables without damaging Insulation, Tyre Pressure, Tyre Tread Depth, Voltage, Resistance, Capacitance, Frequency, Continuity and Faulty Electronics.

MINI COATING THICKNESS GAUGE

GGAUGP-001

This product is a portable coating thickness gauge, which can quickly, nondestructively, and accurately measure non-metallic coating thickness (such as paint, film, etc.) of metal substrate. It is widely used in detection areas like manufacturing industry, car washing industry, metal processing industry, chemical industry and commodity inspection.

- Measurement range: 0~1.8mm/0~71.0mil
- Car mode resolution: 0.05mm/2mil
- User mode resolution: 0.01mm/1mil
- Measurement error: $\pm 0.1\text{mm}$

PORTABLE INSPECTION CAMERA/BORE SCOPES

GSCOPE-004
WiFi Inspection Camera/BoreScope
Compatible with iOS and Android. Use with smart phone. (not included)

GSCOPE-006
Visual Inspecting Cleaning BoreScope

GSCOPE-005
2-Way Articulating BoreScope

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

VEHICLE CURRENT TESTER

TTESMF-001

- Measurement range: 0.1A ~ 19.9A
- Max. Load: 20A/32Vdc for max. 10 secs.
- Accuracy: $\pm (2\% \text{ of reading} + 2 \text{ digits})$

BRAKE FLUID TESTER

MAC AFRIC

GBRAKT-001

- The MAC AFRIC Tester can be used to test the quality of brake fluid. It can indicate whether the brake fluid under test can still be used safely or needs to be replaced.

HYDRAULIC HORIZONTAL METAL CUTTING BAND SAW



230V **ESAWHB-916**
380V **ESAWHB-917**

- Motor: 1.5kW, available 230V or 380V
- Blade Size: 25 x 0.9 x 3 035mm • Cutting Capacity: 225 x 335mm
- Blade Speeds: 25/40/51/71mpm

PROFESSIONAL

METAL BELT SANDERS



230V **WSANDS-076** 380V **WSANDS-075**

- Motor: 3KW, 230V or 380V available
- Belt Size: 75 X 2 000mm
- Working Area: 460 x 75mm

MULTI PURPOSE BENCH GRINDER

EGRINB-075



HYDRAULIC CRIMPER SET FOR HOSE-JOINTS

ECRIMP-015

- Hose Dimensions: $\frac{5}{16}$ " ~ $\frac{9}{8}$ "
- Piston Force: 80Kn
- Max. Piston Travel: 14mm



8 TON HYDRAULIC HOLE DIGGER

EHOLED-001

- Hole Ø: 22, 27, 34, 43, 49 & 60mm
- Stroke: 13mm
- Capacity: 1.6mm Stainless Steel
3.2mm Mild Steel



RATCHET CABLE CUTTER


TCUTTR-001

- Cutting Range: Ø75mm
- Suitable for Cu-Al Cable & Armored Cable



CUT-OFF MACHINES

COLD CUT



(shown)

180mm

ECUTLD-180

355mm

ECUTLD-002

ABRASIVE CUT



DIRECT DRIVE

2 000W,
230V, 355mm

ECUTLD-001

HEAVY DUTY

BELT DRIVE

230V **ECUTHD-220** (shown)
380V **ECUTHD-383**

- Motor: 2.2kW • 230V (2 600rpm)
- 380V (2 800rpm)
- Capacity: (Mild Steel) Pipe:
100 Ø x 6mm Wall Thickness
- Angle Iron: 100 x 100 x 10mm
- Solid: 40mm



HEAVY DUTY

ECUTHD-400

400mm

- Motor: 4kW, 380V
- Capacity: (Mild Steel) Pipe:
130 Ø x 6mm Wall Thickness
- Angle Iron: 100 x 100 x 10mm • Solid: 50mm



HYDRAULIC CRIMPING TOOL SETS



8 Ton (shown)

13 Ton

Max. Stroke	12mm	18mm
Dies	6, 10, 16, 25, 35, 50, 70mm ²	16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300mm ²
Crimping Range	6 - 70mm ²	10 - 300mm ²
	ECRIMP-001	ECRIMP-002

BENCH & PEDESTAL DRILLS

EDRILB-002

13mm Bench
Drill, D.I.Y.

- Motor:
0.35kW, 230V
- 5 Speed



16mm Pedestal Type
(shown)

EDRILP-002

Motor: 0.55kW, 230V,
12 Speed

16mm Bench Type

EDRILB-001



ALSO AVAILABLE

Pedestal Drills

- Motor: 1.1kW, 230V,
- 12 Speed

HEAVY DUTY

25mm	EDRILP-003
32mm	EDRILP-004

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

LOG SPLITTERS



WLOGSP-007

6 Ton Electric/Hydraulic

- Model no: HLS6T-52
- Motor: 50Hz, 230V, 2 000W IP54
- Log Capacity: Ø: 50 - 250mm Length: 520mm
- Splitting Force: 6 Ton
- Hydraulic Pressure: 20 Mpa
- Hydraulic Oil Capacity: 3/5ℓ



WLOGSP-006

8 Ton Electric & Hydraulic

- Vertical Type Motor: 2.8kW
- Max. Splitting Force: 8 Ton
- Max. Log Splitting Length: 700mm
- Splitting Ø: 80 - 350mm



WLOGSP-018

10 Ton Manual Hydraulic

- Max. Splitting Force: 10 Ton
- Max. Log Length: 450mm
- Ram Stroke: 212mm
- Base Dimensions: 1 069 x 204 x 939mm
- Cradle Dimension: 95 x 100 x 100mm



PETROL

WLOGSP-010

10 Ton

- Engine: 196cc/6.5hp
- Max. Log Capacity: 700mm
- Min Log Ø: 80mm
- Max. Log Ø: 350mm
- Splitting Force: 10 Ton

PLEASE NOTE:

The diameter/length Ratings is indicative – a small log can be difficult to split when it has knots or a particularly tough fibre. On the other hand, it may not be difficult to split logs with regular fibres even if its diameter exceeds the max.

LOG SAWS



MAC AFRIC

PETROL


DIESEL

(shown) **LS 710**

LS 700

Motor	13hp	13hp
Blade	700 x 30 x 3.0mm	700 x 30 x 3.0mm
Max. Cutting Ø	240mm	240mm
Max. Cutting Length	2m	2m
	WLOGSW-701	WLOGSW-703

SCAFFOLDING



①	Tubular Frame 1.5m x 1m Panel	TSCAFO-001
②	Castor Wheel	TSCAFO-002
③	Cross Brace	TSCAFO-003
④	Board	TSCAFO-004
⑤	Tiebar	TSCAFO-005
⑥	Leveling Jack	TSCAFO-007



VACUUM BLOWER

Powerful 25.4cc, 2 stroke fuel efficient low emissions engine. Equipped with an easy-start electronic ignition system for smooth running. Features a two-part blower tube for easy storage in sheds and garages, has a light weight design ensuring comfort and easy manoeuvring

PETROL

25.4cc

MBLOWR-026



CHAIN SAWS

45cc

MSAWCH-040



- Features a powerful MAC AFRIC 45cc engine which delivers power to cut through the toughest jobs
- The inertia activated chain brake system gives great safety reassurance
- Easy start
- Primer bulb
- Anti-vibration system

PROFESSIONAL'S CHOICE

45cc

MSAWCH-045
(shown)

62cc

MSAWCH-062



FEATURES:

- Oregon Bar
- Oregon Chain
- Walbro Carburetor
- Easy start with Decompression Valve
- Long Life Air Filter System
- Controlled Delivery Oil Pump
- Anti-vibration System
- Automatic Choke System
- Primer Bulb

7HP TRENCH DIGGER

- 7hp • 4 Stroke • Trench Width: 100mm
- Trench Depth: 150/250/340/450mm
- Average Speed of Trench Digger: 60m/h

MTREND-001



PETROL

EARTH AUGER

PETROL

- ① 68cc 2 Stroke Earth Auger Drive Unit Only

(shown)

MAUGER-002

- ② 150mm Auger Bit (shown)

MAUGER-150

- 200mm Auger Bit

MAUGER-200



GASOLINE TILLERS

Engine	① 52cc (3hp)	② 212cc (8hp)
Working Width	300mm	700mm
Working Depth	100 - 150mm	150mm
G.W./N.W	15.5/14.5kg	62/59.7kg
	MTILER-001	MTILER-002

BRUSH CUTTERS

43cc

MBRUSH-043

68cc

MBRUSH-068



Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

TAMPING RAMMERS

CONTRACTORS CHOICE



PETROL

Petrol engine	4 Stroke, 4hp	4 Stroke, 3.5hp
Fuel Tank Capacity	3ℓ	3ℓ
Impact Force	16kn	14kn
Shoe Size	L = 350mm W = 280mm	L = 350mm W = 280mm
Weight	82kg	70kg
	MRAMMR-004	MRAMMR-003

PLATE COMPACTORS

PETROL

	(shown) HS090	HS120
Petrol Engine	5.5hp	5.5hp
Plate Size	570 x 450mm	480 x 660mm
Weight	90kg	120kg
CONTRACTORS CHOICE	MCOMPT-090	MCOMPT-120

PETROL

DFS400 CONCRETE CUTTER

MCUTTR-001




- Cutting Speed: 5 - 50m/s
- Max. Cutting Depth: 120mm
- Width: 3-5mm
- Max. Power Output: 9hp / 3 600rpm
- Cooling Water Tank Capacity: 2ℓ
- Cooling Form: Spray • Weight: 110kg
- Dimensions: 1 580 x 500 x 900mm
- Blade not included

DEMOLITION BREAKERS



TBREAK-110

- 1 500W • 45J • 20kg



TBREAK-205

- 2 050W • 50J • 45kg

POWER TROWEL FLOAT

CONTRACTORS CHOICE



MPOWER-001

- Ø = 1 000mm
- 5.5hp Petrol Engine



WACKER NEUSON

all it takes!


Rammers, Power
Trowel Floats,
Concrete
Cutters & Plate
Compactors
Available



**ENQUIRE
IN-STORE**

DRIVE UNIT WITH FEMALE COUPLING FOR VIBRATING POKER

MVIBRA-001



OPTIONAL EXTRA

**Vibrating
Pokers**

Length: 6m

50mm

MVIBRA-002

38mm

MVIBRA-003

PROFESSIONAL

ROTOSURE

MEASURING WHEELS



① Model 32 Deluxe

HWHEEL-001

② Model 16 Deluxe
(Small)

HWHEEL-002

③ Model 24
(Large)

HWHEEL-000

TILE CUTTERS



600mm (shown)

TTILEC-600

400mm, 3-in-1

TTILEC-301



1 220mm **TTILEC-120**

DUMPY LEVEL

With Automatic Leveling
Function
incl. Tripod and 5m Staff

TLEVEL-320

ALSO AVAILABLE
Staff / Tripod



CONCRETE MIXERS

MAC AFRIC



①

ELECTRIC

135ℓ (shown) • Motor: 0.55kW

MMIXER-130

ELECTRIC

180ℓ • Motor: 1kW

MMIXER-180

ELECTRIC

210ℓ • Motor: 1kW

MMIXER-210

PETROL

160ℓ • 3hp

MMIXER-161

PETROL

350ℓ (shown) • 6.5hp • 4 Stroke
• Weight: 328kg • Capacity: 254ℓ Volume

MMIXER-350

PETROL

500ℓ • 8hp

MMIXER-500

DIESEL

500ℓ • 8hp

MMIXER-501

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

TARPAULINS

180GSM (Medium Weight)

± 2 x 4m	TTARPL-204
± 3 x 5m	TTARPL-305
± 5 x 6m	TTARPL-506



Light Duty 60GSM (Light Weight)

± 5 x 6m	TTARPL-507
----------	------------



PVC 550GSM (Heavy Weight)

5 x 6m	TTARPL-156
3 x 5m	TTARPL-135



MAGNIFYING LED LAMPS



60 Piece LED
81.5mm (3.5")

HLIGHT-001

- Lens Material: Glass
- 3.5W • 100 - 240V
- Free Standing
- With on/off Switch



60 Piece LED
125mm (5")

HLIGHT-002

- Lens Material: Glass
- 3.5W • 100 - 240V
- With Table Clamp
- With on/off Switch

FLOODLIGHTS



1 HLIGHS-009

LED Floodlight with Stand (2 x 20W)

- Adjustable Height: Max. 1.8m

2 HLIGHC-001

Portable Floodlight, 2 x 500W
Halogen Globes, 230V

- Adjustable Height: Max. 1.8m



SPOTLIGHTS



1	Lithium Ion Rechargeable with 10 Piece LED Worklight • 200 Lumens	HLIGHT-010
2	27W LED (12V) Worklight (square) 60° • Flood Beam with Mounting Bracket	HLIGHW-001
3	Lithium Ion Rechargeable Spotlight with 5 Light Modes • 800 Lumens • 10 W - T6 with 24 Piece LED Side Light	HLIGHS-036
4	Rechargeable LED Flashlight • Lithium Ion Battery • 650 Lumens • Super Bright • Power & Energy Saving	HLIGHT-009

PIPE THREADER



- Capacity: 1/2" - 2"

GPIPTH-001

CHAIN PIPE WRENCH



100mm (4")

TPIPCW-004

200mm (8")

TPIPCW-008

PLUMBERS DRAIN CLEANING ROD SETS



14 Piece

- 10 x 1m x 6mm

XRODRN-001

14 Piece

- 10 x 2m x 6mm

XRODRN-003

HEAVY DUTY

14 Piece

- 10 x 2m x 8mm

XRODRN-002

PLUMBERS DRAIN CLEANERS

PROFESSIONAL

TDRAIN-201


Model 200 (shown)
(Manual Feed/Push)

ALSO AVAILABLE

Model 75

Ideal for
Kitchen/Sink
Drains,
Hotel Industry

TDRAIN-075



Electric Multi
Function Pipe
Threading Machine
with Dies

1/2" - 2"

GPIPTH-003

1/2" - 4"

GPIPTH-007

PIPE CHAIN VICES

Bench Type
(shown)



EVICES-004

- Capacity:
1/8" (3.2mm) - 4" (100mm)

Tri Stand Type
(shown)



EVICES-003

- Capacity:
1/8" (3.2mm) - 6" (150mm)

HYDRAULIC PIPE GROOVERS



Roll Groover forms Rolled
Grooves. Ideal for Steel &
Stainless Steel Tubing.

1 1/2" - 6"

GPIPEG-150

2 1/2" - 12"

GPIPEG-300

HEAVY DUTY

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

HINGED PIPE VICES

50mm (2") Ductile

87.5mm (3 1/2") Ductile

EVICEP-001

EVICEP-002



BUTANE BLOW TORCH

TBLOWT-010

- Use with 190g pierceable gas canister (not included)
- Featuring a flame control button with a high-quality brass burn tip



FOAM MACHINE

Ideal for Car Wash

HFOAMS-070

- Capacity: 70L • Low Pressure
- Operating Pressure: 1 - 2.5 bar
- Pneumatic (Compressor Required)

VACUUM CLEANERS

30L Wet & Dry • 1 200W

HVACUM-030

70L Wet & Dry (shown)

- 2 000W • Dual Motor

HVACUM-070

EXCELLENT QUALITY

SUBMERSIBLE PUMPS

SP400 with Float Switch (Clean Water), 5m Head

HPUMPS-001

SP550 with Float Switch, 7m Head

HPUMPS-002

SP750 with Float Switch, 8m Head

HPUMPS-004

HIGH PRESSURE CLEANERS

HCLEAN-130

HCLEAN-150

HCLEAN-200

HCLEAN-299

ELECTRIC DRIVEN

Voltage kW

Rated Bar Pressure

Flow Rate /min

INCLUDES 5M HOSE, GUN & LANCE
Code

①	1.5kW, 230V (shown)	90	6	HCLEAN-130
②	1.9kW, 230V (shown)	110	6	HCLEAN-200
③	3kW, 230V (shown)	150	6.8	HCLEAN-150

ELECTRIC DRIVEN

INCLUDES 10M HIGH PRESSURE HOSE WITH GUN & LANCE

PROFESSIONAL

④	2.2kW, 230V (shown)	80	15.4	HCLEAN-001
⑤	3kW, 380V	120	15.4	HCLEAN-002

INCLUDES 10M HIGH PRESSURE HOSE WITH GUN & LANCE & 5 X QUICK CHANGE NOZZLES FOR VARIOUS APPLICATIONS

PETROL DRIVEN

Motor

Rated Bar Pressure

Flow Rate /min

Code

⑥	4kW, 5.5hp	124	7.5	HCLEAN-220
⑦	5kW, 6.7hp	186	11.4	HCLEAN-201
⑧	6.6kW, 9hp (shown)	206	11.35	HCLEAN-299

INCLUDES 10M HIGH PRESSURE HOSE WITH GUN & LANCE & 5 X QUICK CHANGE NOZZLES FOR VARIOUS APPLICATIONS

DIESEL DRIVEN

Motor

Rated Bar Pressure

Flow Rate /min

Code

⑨	6.6kW, 9hp	248	15.1	HCLEAN-360
---	------------	-----	------	------------

PRESSURE PUMPS



HPUMPP-009

0.75kW End Suction Single Stage Centrifugal Pump



HPUMPP-008

0.37kW End Suction Peripheral Vane Pump



HPUMPP-010

0.75kW End Suction Peripheral Vane Pump

① 0.75kW ② 0.37kW ③ 0.75kW

Max. Flow	7.2 (m³/h)	2.4 (m³/h)	3.6 (m³/h)
Head Range	14 - 32 (m)	1 - 27 (m)	2.5 - 53 (m)
Max. Suction	7 (m)	8 (m)	8 (m)
	HPUMPP-009	HPUMPP-008	HPUMPP-010

INCLUDING PRESSURE FLOW CONTROL SWITCH

SEWAGE PUMPS



① 0.55kW, 230V

② 1.1kW, 230V

Head	8m	16m
Max. Flow	20m³/h	14m³/h
Pump Body	Stainless Steel	Cast Iron
	HPUMPD-101	HPUMPD-202

COLOUR MAY VARY

STAINLESS STEEL PRESSURE PUMPS

OPTIONAL EXTRA

230V Pressure Flow Control Switch
• 10 Amp

HPUMPP-006



0.75kW

1.1kW

85l/min	100l/min
40m Head	48m Head
HPUMPP-004	HPUMPP-005

WATER PUMPS

CONTRACTORS CHOICE

	2" (50mm)	3" (75mm)	4" (100mm)
PETROL DRIVEN			
Motor	5.5hp	6.7hp	9hp
Head	26m	22m	20m
Suction Height	7m	7m	7m
Capacity	22 000l/h	50 000l/h	75 000l/h
	Recoil Start	MPUMPS-552	MPUMPS-553
		MPUMPS-552	MPUMPS-804

For Dirty Water 3" (75mm)

High Pressure

Chemical Pump 2" (50mm)

PETROL DRIVEN			
Motor	5.5hp	5.5hp	5.5hp
Head	25m	55m	25m
Suction Height	6m	6m	8m
Max. Capacity	45 000l/h	10 000l/h	49 000l/h
	Recoil Start	MPUMPS-006	MPUMPS-005
		MPUMPS-006	MPUMPS-550

2" (50mm)

3" (75mm)

4" (100mm)

DIESEL DRIVEN			
Motor	2.8kW	4kW	6.3kW
Head	25m	25m	31m
Suction Height	8m	8m	7m
Rated Speed	3 600rpm	3 600rpm	3 600rpm
Capacity	25 000l/h	50 000l/h	75 000l/h
	Electric & Recoil Start	MPUMPS-007	MPUMPS-008
		MPUMPS-007	MPUMPS-009

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

TORX & HEX BIT SETS



TTORXB-041

- 41 Piece** • 13-Star L Key
• 12-Star Socket • 13-Star Bit
• 3-Bit Holder in Metal Case
• Quality Chrome Molybdenum



TTORXB-042

41 Piece



TTORXB-009

- 9 Piece** • T20 - T60
• 1/2" Drive Torx Bit, 100mm "Long"



TKEYSA-007

- 8 Piece 1/2" Drive Hex Bit Set (S² Steel)**

- Sizes: 6, 7, 8, 10, 12, 14, 17, 19mm

TAPE MEASURES



TTAPEM-500

5m

TTAPEM-800

8m

- This MAC AFRIC tape measure is purposely designed and engineered for the contractor in mind.
- The tape measure features an auto-lock button, chrome case design, durable rubber grip, magnetic hook and nylon coated tape surface making this tape measure, more durable, wear and corrosion resistant.



3m

5m

8m

10m

ALLEN KEYS



(shown)

TKEYSA-010

- 10 Piece Chrome Vanadium Hex Key with Ball Joint for hard to reach places**

TKEYSA-025

- 25 Piece, Metric & Imperial, in Plastic Pouch**

TKEYSA-018

- 18 Piece Hex & Torx Star Key Set**



MAC AFRIC

TKEYSA-109

- 9 Piece Metric Ball Point Key Set**



PRECISION TOOL KITS



NEW

126 Piece TT00LK-126

ALSO AVAILABLE

170 Piece TT00LK-170

13 - 19MM PACKAGING STRAPPING TOOL KIT

TSTRAP-001

Hand operated manual ratchet-type strapping tensioner, designed to tighten 13mm to 19mm PET and Polywoven/Cord strapping around cartons, pallets, crates, etc. Used with a 13 - 19mm metal clip. Ideal for heavy duty applications. Set includes both tensioner & strapping crimper.



3 PIECE PLIER SET - CRV



TPLIER-003

SCREWDRIVERS

EXCELLENT QUALITY

Why S² Steel? It is the hardest, most ductile, and longest wearing steel that exists in the "Hex" Tool Industry.

S² STEEL SCREWDRIVER SETS



8 Piece

TSCREW-008



12 Piece Bolster Screwdriver Set

TSCREW-012



12 Piece Go-Thru

TSCREW-014

HIGH QUALITY CHROME VANADIUM SETS



10 Piece All Purpose Set with Bolsters

TSCREW-011



7 Piece Electric Screwdriver Set

TSCREW-007



6 Piece Set with Hardened Tips


TSCREW-006



TSCREW-026

26 Piece Wall Mounted or Standing Screw Driver Set

ALUMINIUM SPEED SQUARES



1

2

7" (175mm)

1 **TSQUAR-007**

12" (300mm)

1 **TSQUAR-012**

ALUMINIUM LEVELS

PROFESSIONAL



600mm

TLEVEL-602

1m

TLEVEL-101

- Shockproof end caps
- Super clear vials
- Unique front view of the vertical vial
- Magnified vial
- High precision with first-class accuracy
- High-quality aluminium alloy with a robust design

CLAMPS



G-Clamps

75mm

100mm

150mm

200mm

250mm

300mm



T-bar Clamps

770mm

1 070mm

1 370mm

1 710mm



F-Clamps

120 x 250mm

120 x 400mm

120 x 600mm

120 x 1 000mm



Ratchet Style F-Clamps

120 x 250mm

120 x 400mm

120 x 600mm

120 x 1 000mm

19MM (3/4") DRIVE CHROME ALLOY MECHANICS SOCKET SETS

HEAVY DUTY

TSOCKE-126



26 Piece (shown)

- 20 Chrome Alloy Metric Sockets: 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50, 55, 60, 65mm

- 27 Piece • 12 SAE Sockets:** 7/8", 15/16", 1", 1 1/8", 1 3/16", 1 5/16", 1 3/8", 1 7/16", 1 5/8", 1 3/4", 1 7/8", 2"
• 10 Metric Sockets: 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm

TSOCKE-127

POWER BARS



12.5mm (1/2") Drive • Length: 450mm	TPOWEB-450
19mm (3/4") Drive • Length: 600mm	TPOWEB-600
25mm (1") Drive • Length: 600mm	TPOWEB-025

72 Tooth
For Smooth
Action

GEAR WRENCHES

8 Piece (shown) • 8, 10, 11, 12, 13, 14, 17, 19mm	TSPANR-008
12 Piece • 6, 8, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30mm	TSPANR-012
8 Piece with Forward & Reverse Ratchet Function • 8, 10, 11, 12, 13, 14, 17, 19mm	TSPANR-009
12 Piece with Flexible Head • 6, 8, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30mm	TSPANR-014



6 PIECE COMBINATION JUMBO SPANNER SET



TSPANN-600

- 35, 38, 41, 45, 48, 50mm
- Black Oxide Finish

RIVETERS



1 Double Handle (Straight Type) • 3.2 - 4.8mm	TRIVET-001
2 Hand Riveter • 2.4 - 4.8mm	TRIVET-015
3 Lazy Tong • 3.2 - 4.8mm	TRIVET-017
4 Rotating 360° (Aluminium Alloy) Hand Riveter • 2.4 - 4.8mm	TRIVET-002
5 Double Action Labour Saving Hand Riveter • 3.2 - 6.4mm	TRIVET-003

COMBINATION SPANNER SETS

1



8 Piece • 8, 10, 11, 12, 13, 14, 17, 19mm • Carbon Steel	TSPANN-008
11 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19mm • CRV	TSPANN-011
12 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm • CRV	TSPANN-012
16 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22mm • CRV	TSPANN-016
17 Piece • 6 - 20, 22, 24mm • CRV (shown)	TSPANN-017
19 Piece • 6 - 32mm • CRV	TSPANN-019



EXCELLENT
QUALITY



Combination Chrome Vanadium Spanner Sets in Canvas Pouch

Imperial/SAE/AF

17 Piece Satin Finish • 6 - 24mm	TSPANN-018	9 Piece 1/4" - 3/4" on Hanger	TSPANN-909
26 Piece Satin Finish • 6 - 32mm (shown)	TSPANN-027	14 Piece 1/4" - 1 1/4" in Canvas Pouch (shown)	TSPANN-914
25 Piece Matt Finish • 6 - 30, 32mm	TSPANN-026	22 Piece Combo Set IMPERIAL/METRIC 1/4" - 7/8" and 6 - 19mm in Canvas Pouch	TSPANN-922

UNIVERSAL GEAR WRENCH SOCKET SETS

- High Quality CRV Steel • 72 Teeth for Durability
- Compact Universal Kit • Saves Space



TSPANR-036

- 36 Piece • Ratchet Wrench Size: 17 - 19mm**
 • Socket Insert Size: 8, 9, 10, 11, 12, 13, 15, 16, 17, 18mm



TSPANR-006

- 6 Piece**
 • Ratchet Wrench Size: 14 - 19mm
 • Socket Insert Size: 6, 10, 12, 13, 17mm

TORQUE WRENCHES

PROFESSIONAL
RANGE



10mm (3/8") Drive 6 - 30Nm (L = 285mm)	TWRENT-002
10mm (3/8") Drive 6 - 30Nm (L = 320mm)	TWRENT-008
12.5mm (1/2") Drive 40 - 210Nm (L = 530mm)	TWRENT-003
12.5mm (1/2") Drive 65 - 335Nm (L = 520mm)	TWRENT-006
19mm (3/4") Drive 100 - 500Nm (L = 860mm)	TWRENT-004
19mm (3/4") Drive 200 - 1 000Nm (L = 1 150mm)	TWRENT-007

D.I.Y.

- Click Torque Wrench 12.5mm (1/2") Drive 28Nm - 210Nm (L = 470mm)**

TWRENT-001

In-house Calibration Offered (at Aeroton Head Office) on
MAC AFRIC Torque Wrenches

ENQUIRE IN
STORE FOR PRICING

HAND TOOLS

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

SOCKET SETS

TOOL SETS

MAC AFRIC

TRADESMAN'S CHOICE

TOOL BOX SETS

EXCELLENT QUALITY



77 Piece D.I.Y. Tool Set **TT00LB-077**
in Cantilever Tool Box • $\frac{3}{8}$ " Drive



85 Piece Tool Set in Cantilever Tool Box **TT00LB-085**
• $\frac{1}{4}$ " & $\frac{1}{2}$ " Drive • Chrome Vanadium

Features a 12 Point Design to grip on Worn Nuts



165 Piece Tool Set in Cantilever Tool Box **TT00LB-165**
• $\frac{1}{4}$ " - $\frac{3}{8}$ " - $\frac{1}{2}$ " Drive • Chrome Vanadium



42 Piece VDE Electrical Tool Set in Bag **TT00LB-042**



63 Piece Quality Pink Tool Kit in Aluminium Case **TT00LK-063**



132 Piece Tool Set in ABS Trolley **TT00LK-132**



139 Piece Tool Set in Plastic Case **TT00LB-139**



86 Piece Tool Set in Cantilever Tool Box **TT00LB-086**
• $\frac{3}{8}$ " Drive • Chrome Vanadium

62 PIECE TOOL SET IN CANTILEVER TOOL BOX, 12.5MM ($\frac{1}{2}$ " DRIVE

LIFETIME GUARANTEE



62 Piece Tool Set in Cantilever Tool Box **TT00LB-062**
• 18 Sockets: 10 - 32mm • 18 Spanners: 6 - 24mm
• Allen Keys, 6 Piece Screwdriver, 3 Piece Plier Set, Ratchet, Extension and Power Bars, etc.

SOCKET SETS

Imperial/SAE/AF

TSOCKE-020

20 Piece $\frac{3}{8}$ " Drive

- $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{3}{16}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ "



TSOCKE-000

25 Piece $\frac{1}{4}$ " Drive

- Sizes: 4, 4.5, 5, 5.5, 6, 6.5, 7 - 14mm
- Sizes (5 Tube Sockets): 8, 10 - 13mm



19 Piece Socket Set on Hanger

- $\frac{1}{2}$ " Drive • CRV
- Sizes: 8 - 20, 23, 24, 27, 30, 32mm

PROFESSIONAL

TSOCKE-180

108 Piece

- $\frac{1}{4}$ " & $\frac{1}{2}$ " Drive
- Chrome Vanadium



TOOL BOX SETS

LIFETIME GUARANTEE



82 Piece Superlock Chrome Vanadium 6mm ($\frac{1}{4}$ " & 12.5mm ($\frac{1}{2}$ " Drive Socket, Bit & Spanner Set **TSOCKE-082**



- 14 Piece 10mm ($\frac{3}{8}$ " Superlock Sockets: 6 - 19mm
- 20 Piece 12.5mm ($\frac{1}{2}$ " Superlock Sockets: 10 - 32mm

TSOCKE-045

45 Piece Superlock 10mm ($\frac{3}{8}$ " & 12.5mm ($\frac{1}{2}$ " Drive Socket Wrench Set



TSOCKE-048

48 Piece 6mm ($\frac{1}{4}$ " & 10mm ($\frac{3}{8}$ " Drive Socket/Bit Set

- Contains: • 6mm ($\frac{1}{4}$ " Drive: 9 Sockets
- 10mm ($\frac{3}{8}$ " Drive: 9 Sockets



TSOCKE-024

24 Piece Hardened Chrome Vanadium Superlock Hexagonal Socket Set • 12.5mm ($\frac{1}{2}$ " Drive

- 18 Metric Sockets: 10 - 32mm



TSOCKE-026

26 Piece 6mm ($\frac{1}{4}$ " Drive Socket Wrench Set

- 13 Sockets: 4 - 14mm



Hexa Socket Sets are manufactured from the Best Quality Chrome Vanadium Steel with Hexagonal Superlock* Pattern

*(force is exerted on the face of the socket and not the corners thus the socket can turn metric/imperial & even worn nuts)

CABINETS TOOL BOXES

WALL MOUNTED TOOL CABINET

TT00LB-001

- L = 1 200mm, W = 200mm H = 600mm
- 3 Doors with Adjustable Shelves
- Packed in easy to assemble kit form

COLOUR MAY VARY

INDUSTRIAL QUALITY MAC AFRIC STEEL WORK BENCH WITH 3 SMOOTH ROLLING LOCKABLE DRAWERS

GBENCH-001

L = 2 000mm
W = 640mm H = 860mm
Weight: 110kg (shown)

Vices can be fixed to Bench

GBENCH-000

Industrial Work Bench with 2 Smooth Rolling Lockable Drawers L = 1 500mm W = 640mm H = 860mm

STEEL WORK BENCHES

GBENCH-004 (shown)

Folding Steel Work Bench with Pegboard including 20 Piece Hook Set L = 1 200mm W = 660mm H = 1 440mm

Steel Work Bench with Pegboard including Drawer Hooks and Plastic Holders

GBENCH-005

L = 1 220mm W = 560mm H = 1 510mm

COMPLETE GARAGE CABINET STORAGE SOLUTION



PREMIUM QUALITY



TCABIN-010

3m

JOB SITE TOOL BOX

The MAC AFRIC heavy-duty job site toolbox is built to last. Manufactured from 1.5mm mild steel and finished with a blue hammer tone epoxy powder coating finish. Features a heavy duty tough durable design with carrying handles, secured lock compartment, and heavy-duty hinges for extra security and safety. Ideal for bakkie toolboxes, tradesman, workshops, camping-outdoor, garage tool storage, home storage, 4x4 off-road, and many more.




Metal Thickness	1.5mm	1.5mm
Net Weight	35.5kg	59kg
Gross Weight	40kg	67kg
Dimensions	915 x 432 x 541mm	1220 x 615 x 720mm
	TT00LB-036	TT00LB-048

HEAVY DUTY

5 TRAY CANTILEVER TOOL BOXES

535mm **TT00LB-007**

650mm **TT00LB-008**



10 DRAWER TOOL CABINET

L = 1 065mm
W = 485mm
H = 1 007mm

TCABIN-008

Excluding Tools



TT00LB-700

PLASTIC TOOLBOX



TOOL CABINETS

TCABIN-005

6 Drawer (Top)
• 600 x 310 x 330mm

7 Drawer with Castors

- 680 x 460 x 950mm
- Excluding Tools

TCABIN-007

Excluding Tools

PROFESSIONAL

7 DRAWER TOOL CABINET

Includes Tools 193+ Pieces

- Height: 1 040mm

TCABIN-003

Benefits and Features:

- The MAC AFRIC professional heavy duty 7 drawer tool cabinet with tools is the ideal solution for use in garage, automotive and home workshops
- The cabinet features quick release double ball bearing slides for the drawers. • Swivel action castor wheels with brake function (2 Fixed / + 2 Swivel) • Patented locking system
- Durable EVA (foam inserts) for the tools with clear identification markings • Full steel construction with a tough powder coated protective finish • Comprehensive Top Quality chrome vanadium hand tools.



Examples of Tool Modules

DISCLAIMER: Combinations may vary

MAC AFRIC

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

ALSO AVAILABLE

7 Drawer Cabinet (Blue)
Excluding Tools

- Height: 1 040mm

TCABIN-004

Tel: +258 86 5330 166

For sales and quotations please email your product requirements to: sales@toolmartmoz.com

**MAC AFRIC**

GENERATORS

PETROL STANDBY GENERATORS



PETROL
1 **MGENER-006**
7.5kVA



PETROL
2 **MGENER-008**
8.75kVA

kVA	Nominal Output	Rated Current Output (A)	Voltage (V)	Estimated average fuel consumption (Load dependant)	AVR	Electric Start	Recoil Start	Code
0.81kVA (2 stroke)	650W	2.9 Amp	220V	0.32ℓ/h	X	X	✓	MGENER-090
1.25kVA	1kW	4.5 Amp	220V	0.43ℓ/h	✓	X	✓	MGENER-201
2.8kVA	2kW	9.1 Amp	220V	0.8ℓ/h	✓	X	✓	MGENER-220
2.8kVA	2kW	9.1 Amp	220V	0.82ℓ/h	✓	✓	✓	MGENER-221
5.6kVA	4kW	18.2 Amp	220V	2.2 - 3.15ℓ/h	✓	X	✓	MGENER-450
6.5kVA	5kW	22.7 Amp	220V	2.2 - 3.15ℓ/h	✓	✓	✓	MGENER-553
7.5kVA	6.2kW	25 Amp	220V	2.5 - 3.15ℓ/h	✓	✓	✓	MGENER-006
8.75kVA	7kW	31.8 Amp	220V	2.84 - 3.15ℓ/h	✓	✓	✓	MGENER-008
12.5kVA	10kW	45.5 Amp	220V	4.06ℓ/h	✓	✓	X	MGENER-010
12.5kVA	10kW	18.6 Amp (380V)/ 15 Amp (220V)	380V/ 220V	4.06ℓ/h	✓	✓	X	MGENER-011
15kVA P/F = 1	15kW	68.2 Amp	220V	7.05ℓ/h	✓	✓	X	MGENER-115

MAC AFRIC INVERTER GENERATORS

NEW ARRIVALS
SHOP NOW



1.8kW
MGENER-001



3.2kW
MGENER-003



3.2kW Open Type
MGENER-004

VISIT OUR WEBSITE FOR
DETAILED SPECIFICATIONS

Warranties on Generators will be nul and void if not installed by a qualified electrician that is registered with the Department of Labour and has the required certification in accordance with the law to issue a COC (Certificate of Compliance) after completion of the installation.

All batteries are excluded from the warranty. See website for full T&Cs.



4

5

DIESEL STANDBY GENERATORS

kVA	Nominal Output	Rated Current Output (A)	Voltage (V)	Model Description	Estimated average fuel consumption (Load dependant)	AVR	Code
6.5kVA	5kW	22.7 Amp	220V	Open Type	1.67ℓ/h	✓	MGENER-656
6.5kVA	5kW	22.7 Amp	220V	Enclosed Type 73 db(A) @ 7m	1.67ℓ/h	✓	MGENER-604
20kVA P/F = 0.8	16kW	69.6 Amp (220V)	220V	Silent Type with ATS 70 db(A) @ 7m	3.7ℓ/h	✓	MGENER-016
20kVA	16kW	30 Amp	380V	Silent Type with ATS 72 db(A) @ 6.7m	3.7ℓ/h	✓	MGENER-021
50kVA	40kW	72 Amp	380V	Silent Type with ATS 73 db(A) @ 7m	10.3ℓ/h	✓	MGENER-050



DIESEL

4
MGENER-604



DIESEL

5
MGENER-016

